

TABLE OF CONTENTS

No. 1 January-February

<i>Entomophthora</i> species with <i>E. muscae</i> -like conidia, D. M. MACLEOD, E. MÜLLER-KÖGLER, AND N. WILDING	1
Development and cytology of <i>Sordaria humana</i> , F. A. UECKER	30
A new species of <i>Embellisia</i> isolated from sea water, M. MUNTANJOLA-CVETKOVIĆ AND R. RISTANOVIĆ	47
The zygomycete <i>Saksenaea vasiformis</i> as a pathogen of humans with a critical review of the etiology of zygomycosis, L. AJELLO, D. F. DEAN, AND R. S. IRWIN	52
An electrostatic theory to explain violent spore liberation by <i>Drechslera turcica</i> and other fungi, C. M. LEACH	63
Architecture and deposition of cellulin granules in <i>Apodachlya</i> sp., H. Y. LEE, J. R. SWAFFORD, AND J. M. ARONSON	87
Endogenous respiration and fatty acids of <i>Phialophora dermatitidis</i> , R. A. CALDERONE	99
Effects of nutrition and soil extracts on germination of <i>Glomus mosseae</i> spores, B. A. DANIELS AND S. O. GRAHAM	108
Induction and ultrastructure of the multicellular (sclerotic) morphology in <i>Phialophora dermatitidis</i> , P. J. SZANISZLO, P. H. HSIEH, AND J. D. MARLOWE	117
The genus <i>Amylomyces</i> , J. J. ELLIS, L. J. RHODES, AND C. W. HESSELTINE	131
Thread phase ultrastructure in <i>Ceratiomyxa fruticulosa</i> , R. K. NELSON AND R. W. SCHEETZ	144
Pathogenicity of a gibberellin-producing and a nonproducing strain of <i>Fusarium moniliforme</i> in oats as determined by a colorimetric assay for N-acetyl glucosamine, J. C. ZAK	151
Linkage groups in <i>Aspergillus flavus</i> , K. E. PAPA	159
Brief Articles	
THAKUR on <i>Burrillia</i> in culture	166
SAHM AND CHAPMAN on carbon source effect on <i>Papulaspora</i>	168
SINGH on <i>Mycosphaerella</i> from India	175
McKAN AND BURDICK on technique for dispersal in agar	178
KING AND JONG on <i>Conidiobolus</i> infection	181
SHEARER, CRANE, AND MILLER on freshwater Hyphomycetes	184
DEPLOEY on carbohydrate nutrition in <i>Mucor</i>	190
HAWKSWORTH AND BOOTH on <i>Nectria heterospora</i>	195
FIDALGO AND PRANCE on ethnomycology	201
DAVIS AND JONG on <i>Laccaria</i> in culture	211
Reviews	215
Briefly Noted	226

No. 2 March-April

Frederick Adolph Wolf 1885-1975, F. T. WOLF	229
Sclerotiniaceae XI. On <i>Moellerodiscus</i> (= <i>Ciboriopsis</i>), K. P. DUMONT	233
Extracellular and intracellular phenoloxidase activity during growth and development in <i>Schizophyllum</i> , L. E. PHILLIPS AND T. J. LEONARD	268
Benzidine as a substrate for measuring phenoloxidase activity in crude cell-free extracts of <i>Schizophyllum commune</i> , L. E. PHILLIPS AND T. J. LEONARD	277
Nutrition of <i>Pleurotus sapidus</i> : Effects of lipids, R. H. KURTZMAN, JR.	286
X-Ray microanalysis of elements of cells of VA-mycorrhizal and nonmycorrhizal onions, J. D. SCHOKNECHT AND M. J. HATTINGH	296
Notes on cantharelloid fungi. VII. The taxa described by Charles H. Peck, R. H. PETERSEN	304

The effect of environment on sexual reproduction of <i>Gibberella zeae</i> , A. T. TSCHANZ, R. K. HORST, AND P. E. NELSON	327
Aflatoxin occurrence in 1973 corn at harvest. II. Mycological studies, C. W. HESSELTINE, O. L. SHOTWELL, W. F. KWOLEK, E. B. LILLEHOJ, W. K. JACKSON, AND R. J. BOTHAST	341
Polar lipids of <i>Phytophthora parasitica</i> var. <i>nicotianae</i> , in comparison with those of selected other fungi, J. W. HENDRIX AND G. ROUSER	354
Pure culture synthesis of Pacific madrone ectendomycorrhizae, B. ZAK	362
Laboratory cultivation of <i>Licea alexopouli</i> , D. L. MOCK AND D. T. KOWALSKI	370
Investigation of ultralow temperature for fungal cultures III. Viability and growth rate of mycelial cultures following cryogenic storage, S.-W. HWANG, W. F. KWOLEK, AND W. C. HAYNES	377
DNA homologies among heterothallic species of <i>Neurospora</i> , S. K. DUTTA	388
Synonymy of <i>Exserohilum halodes</i> with <i>E. rostratum</i> , and induction of the ascigerous state, <i>Setosphaeria rostrata</i> , K. J. LEONARD	402
Brief Articles	
DUNCAN, SHAH, AND HERALD on fat production in <i>Epicoccum</i>	412
ROSS on nuclear migration rates	418
KURTZMAN AND KREGER-VAN RIJ on ultrastructure of ascospores	422
GLEASON AND LONG on alcohol dehydrogenase in Mucorales	426
PETERSEN on a new species of <i>Gomphus</i>	429
TRAPPE AND MASER on germination of <i>Glomus</i> spores	433
KISH AND ALLEN on conidial production of <i>Nomuraea</i>	437
CALDERONE AND NORMAN on respiratory-associated enzymes	440
Reviews	447
Briefly Noted	450
No. 3 May-June	
William Grady Fields, 1933-1975, S. L. FLEGLER	451
The effects of linoleate and acetate on the growth and lipid composition of mycelium of <i>Agaricus bisporus</i> , D. W. LEHRMAN, L. C. SCHISLER, AND S. PATTON	453
A neotype specimen for <i>Amanita muscaria</i> , D. T. JENKINS AND R. H. PETERSEN	463
An estuarine species of <i>Phlyctocytrium</i> (Chytridiales) having a transient requirement for sodium, J. P. AMON	470
A new homobasidiomycete with anomalous basidia, D. E. COX	481
Stimulation of sporulation of <i>Phytophthora fragariae</i> , J. L. MAAS	511
Physiological studies on an isolate of <i>Saprolegnia ferax</i> from the larval gut of the blackfly <i>Simulium vittatum</i> , R. A. NOLAN	523
Ultrastructure of the termite-associated fungus <i>Laboulbeniopsis termitarius</i> , M. BLACKWELL AND J. W. KIMBROUGH	541
A developmental study of the termite-associated fungus <i>Coreomycetopsis oedipus</i> , M. BLACKWELL AND J. W. KIMBROUGH	551
Asexual sporulation and mycelial growth in axenic cultures of <i>Smittium</i> spp. (Trichomycetes), A. M. EL-BUNI AND R. W. LICHTWARDT	559
Spore germination in axenic cultures of <i>Smittium</i> spp. (Trichomycetes), A. M. EL-BUNI AND R. W. LICHTWARDT	573
In vitro growth and nutrition of <i>Buergenerula spartinae</i> , a fungus associated with <i>Spartina alterniflora</i> , R. V. GESSNER	583
<i>Chaetomium cellulolyticum</i> , a new thermotolerant and cellulolytic <i>Chaetomium</i> I. Isolation, description and growth rate, D. S. CHAHAL AND D. L. HAWKSWORTH	600
<i>Buergenerula</i> and the Physosporrellaceae, M. E. BARR	611
Cultural and other morphological studies of <i>Sparassis radicata</i> and related species, K. J. MARTIN AND R. L. GILBERTSON	622
Two new genera of leaf-parasitic fungi (Basidiomycetidae: Brachybasidiaceae), J. L. CUNNINGHAM, B. K. BAKSHI, P. L. LENTZ, AND M. S. GILLIAM	640

TABLE OF CONTENTS

v

Brief Articles

BARONI, LARGENT AND THIERS on new taxa of boletes	655
KURUP, FINK AND BAUMAN on thermophilic actinomycetes	662
RESTIVO AND PETERSEN on nuclei of <i>Hydnum umbilicatum</i>	666
GRAND on <i>Pisolithus tinctorius</i>	672
CHAPMAN AND OSTROVSKY on protein changes in <i>Papulaspora</i>	678
KURTZMAN AND AHEARN on sporulation in <i>Pichia spartinae</i>	682
BURTON, NAKAMURA AND CADMUS on identification of black yeasts	685
KENERLEY AND ROGERS on <i>Hypoxylon serpens</i> in culture	688

No. 4 July-August

Sooty moulds, S. J. HUGHES	693
Morphogenesis of <i>Filobasidiella neoformans</i> , the sexual state of <i>Cryptococcus neoformans</i> , K. J. KWON-CHUNG	821
Corticolous Myxomycetes IV: <i>Badhamiopsis</i> , a new genus for <i>Badhamia aimae</i> , H. W. KELLER AND T. E. BROOKS	834
Sclerotiniaceae XII. On some selected species from India, K. P. DUMONT	842
<i>Limnoperdon</i> , a floating gasteromycete isolated from marshes, G. A. ESCOBAR, D. E. MCCABE, AND C. W. HARPEL	874
Some fungi in the forest soils of Newfoundland, P. SINGH	881
Cultural and morphological variation in <i>Sadasivania bhustha</i> (Fungi Imperfecti) M. C. WICKLOW AND W. J. SUNDBERG	891
Mitosis in <i>Ancylistes</i> sp., G. W. MOORMAN	902
<i>Agaricus brunnescens</i> : the cultivated mushroom, D. MALLOCH	910
Effects of temperature and nitrogen sources on the parasitism of <i>Dimargaris verticillata</i> on <i>Mortierella alpina</i> and <i>M. ramanniana</i> var. <i>angulisporea</i> , E. G. JORDAN AND K. ERB	920

Brief Articles

GRAHAM, GREEN AND HENDRIX on vesicular-arbuscular mycorrhizal fungi	925
GREEN, GRAHAM AND SCHENCK on pH and germination	929
ADAMS AND DEPLOY on amylase production	934
KING, LAHN AND JONG on <i>Conidiobolus thromboides</i>	939
KWON-CHUNG on a new species of <i>Filobasidiella</i>	942
SHEARER AND CRANE on <i>Rogersia annelidica</i>	946
Reviews	951
Briefly Noted	959

No. 5 September-October

Elizabeth Lee Hazen, 1885-1975, W. S. BACON	961
<i>Corneromyces kinabalu</i> , gen. nov., sp. nov. (Aphyllphorales, Coniophoraceae), J. GINNS	970
California boletes V. Two new species of <i>Boletus</i> , H. D. THIERS AND R. E. HALLING	976
Cytology of <i>Triangularia backusii</i> , L. H. HUANG	984
Development of the ascocarp in <i>Epichloë cinerea</i> (Clavicipitaceae), D. N. MHASKAR AND V. G. RAO	994
Colonization of soybeans by species of <i>Fusarium</i> , R. F. NYVALL	1002
Optimizing mycelial respiration of <i>Phymatotrichum omnivorum</i> , S. D. LYDA	1011
The genus <i>Aleuria</i> in India, S. C. KAUSHAL	1020
Ultrastructure of septa in hyphae and basidia of <i>Tulasnella</i> , S. R. KHAN AND P. H. TALBOT	1027
Ontogeny of <i>Hyalopsora polypodii</i> haustoria, M. R. MCGINNIS	1037
The systematics of the genus <i>Strongwellsea</i> (Zygomycetes: Entomophthorales), R. A. HUMBER	1042
Thermophilic fungi in sun-heated soils, M. R. TANSEY AND M. A. JACK	1061
<i>Phallus aurantiacus</i> from Nigeria, B. A. OSO	1076
Cellulase enzymes in culture filtrates of <i>Ceratocystis paradoxa</i> , P. O. OLUTOLA	1083

Brief Articles

POLLACK AND MATTHEWS on <i>Deightonella argemonensis</i>	1093
FOGEL on <i>Mycolevis sicigleba</i>	1097
LOWY on new Tremellales from Panama	1103
AFANIDE, MABADEJE AND NAQVI on <i>Gibberella baccata</i>	1108
MAHONEY on <i>Neocosmospora</i>	1111
GILBERTSON AND MARTIN on <i>Polyporus coronadensis</i>	1116
MAIELLO AND PETERSON on pycnidial ontogeny in <i>Phyllosticta</i>	1121
HOLCOMB AND ANTONOPOULOS on <i>Alternaria alternantherae</i>	1125
McKNIGHT on <i>Lachnella populicola</i>	1129
RAO, AGRAWAL AND SAKSENA on <i>Phomopsis destructum</i>	1132
Reviews	1135

No. 6 November-December

Some effects of temperature on zygospore formation in <i>Mucor miehei</i> , L. L. LASURE AND M. B. INGLE	1145
Three decays of cypress in Taiwan, R. W. DAVIDSON AND C.-Y. CHIEN	1152
The influence of qualitative and quantitative radiation on reproduction and spore germination of four <i>Phytophthora</i> species, O. K. RIBEIRO, G. A. ZENTMYER, AND D. C. ERWIN	1162
The influence of carbon and nitrogen nutrition on pycnidium development in <i>Phyllosticta antirrhini</i> , J. M. MAIELLO AND R. A. CAPPELLINI	1174
Scanning electron microscopy of <i>Neocosmospora</i> ascospores, K. T. VAN WARMELO	1181
<i>Scytalidium uredinicola</i> , a new mycoparasite of <i>Cronartium fusiforme</i> on <i>Pinus</i> , E. G. KUHLMAN, J. W. CARMICHAEL, AND T. MILLER	1188
Comparative enzyme patterns in <i>Cryptococcus laurentii</i> and its taxonomic varieties, J. N. BAPTIST AND C. P. KURTZMAN	1195
Corticolous Myxomycetes V: Observations on the genus <i>Echinostelium</i> , H. W. KELLER AND T. E. BROOKS	1204
Factors affecting growth and reproduction in selected species of <i>Aphanomyces</i> , B. FOWLES	1221

Brief Articles

SPARROW on <i>Phlyctochytrium lackeyi</i>	1233
BLANTON on <i>Pseudocolus fusiformis</i>	1235
CORDAS AND DURÁN on <i>Clintamra</i> , a new smut genus	1239
KARLING on parasite of <i>Karlingia rosea</i>	1245
JOHNSON, PRESTON, AND KIMBROUGH on quantitation of amanitins	1248
LEVETIN AND CAROSELLI on medium for <i>Pilobolus</i>	1254
PADGETT on <i>Saprolegnia australis</i>	1258
GUZMÁN AND OTT on hallucinogenic <i>Psilocybe</i>	1261
GUZMÁN, OTT, BOYDSTON, AND POLLOCK on psychotropic mycoflora	1267
Reviews	1273
Notice	
Errata	
Notices	1279
Financial Report	1281
Index	1282

MYCOLOGIA—FINANCIAL REPORT

STATEMENT OF INCOME AND EXPENSES FOR THE YEAR ENDING JUNE 30, 1976

<i>Operating Funds</i>	7/1/75-6/30/76
<i>Income</i>	
Member subscriptions	11,344
Other subscriptions	40,461
Sale of back issues	72
Page charges	7,469
Miscellaneous	190
Income from Endowment Fund	1,601
Library Exchange	2,175
Total Income	63,312
<i>Expenses</i>	
Printing and mailing of issues	46,892
Supplies and materials	221
Outside services (Editor)	2,800
Postage and express	693
Salaries and overhead	11,612
Miscellaneous	2,383
	64,601
Excess of Expenses over Income	(1,289)
<i>Restricted Investment Fund</i>	
Balance beginning of year	30,827
Capital Gain or loss and transfers	517
	<u>31,344</u>

INDEX TO VOLUME LXVIII*

The Index for Volume 68 consists of three parts: (1) Subject Index, (2) Fungous Taxa Index, and (3) Host Index.

SUBJECT INDEX

The Subject Index includes authors, titles, key words of titles and other subject matter, biographies, reviews, notices, etc.

- Acetate effect, *Agaricus* 453
- Actinomycetes 662
- Activity of some respiratory-associated enzymes in sterol and nonsterol grown cultures of *Phytophthora cactorum* 440
- Adams, P. R. and J. J. Deploey. Amylase production by *Mucor miehei* and *M. pusillus* 934
- Afanide, B., S. A. Mabadeje and S. H. Z. Nagvi. *Gibberella baccata*, the perfect state of *Fusarium lateritium* in Nigeria 1108
- Aflatoxin occurrence in 1973 corn at harvest. II. Mycological studies 341
- Agaricales in modern taxonomy; review 447
- Agaricus brunnescens*: the cultivated mushroom 910
- Agrawal, S. C. See Rao et al. 1132
- Ahearn, D. G. See Kurtzman and Ahearn 682
- Ajello, Libero, David F. Dean and Richard S. Irwin. The zygomycete *Saksenaea vasiformis* as a pathogen of humans with a critical review of the etiology of zygomycosis 52
- Alcohol dehydrogenase in *Mucorales* III 426
- Algae
 - Golenkinia* 461
 - Gracilaria* 230
- Allen, George E. See Kish and Allen 436
- Alternaria alternantherae*: a new species found on alligatorweed 1125
- Amanitins, *Galerina* 1248
- Amon, James P. An estuarine species of *Phlyctochytrium* (Chytridiales) having a transient requirement for sodium 470
- Amylase production by *Mucor miehei* and *M. pusillus* 934
- Animal
 - Cathartus* 352
 - Chaos 149
 - Drosophila* 1227
 - Hylemya* 1042
 - Microtus* 433
 - Oryzaephilus* 352
 - Pyroderces* 352
 - Python* 1064
 - Sitophilus* 350, 352
 - Sitotroga* 352
 - Tamiasciurus* 433
 - Trialeturodes* f 697
 - Tribolium* 352
- Annotated list of Spegazzini's fungus taxa; review 1135
- Annual review of phytopathology, volume 3; review 215
- Antennulariaceae 714
- Anthostomella* Sacc. (Part I); review 226
- Antonopoulos, Antonios A. See Holcomb and Antonopoulos 1125
- Aphyllphorales 970
- Apobasidia, *Chionosphaera* 499
- Architecture and deposition of cellulin granules in *Apodachlya* sp 87
- Arizona, *Polyporus* 1116
- Aronson, Jerome M. See Lee et al. 87
- Asbolisiaceae 745

* Volumes 1 through 58 have been indexed as to fungous taxa, hosts, and subject. These three indices have been combined in a single publication and issued as: MYCOLOGIA INDEX, VOLUMES 1 THROUGH 58 (1909-1966). xvi + 1108 pages. Price: \$40.00. Available from: The New York Botanical Garden, Bronx, N. Y. 10458.

- Asexual sporulation and mycelial growth in axenic cultures of *Smittium* spp. (Trichomycetes) 559
- Assay for N-acetyl glucosamine 151
- Astier, Joseph. Richesses mycologiques de la Provence avec quelques espèces des régions limitrophes et de la Corse; review 960
- Att della Società Crittogamologia Italiana; review 951
- Bacon, W. Stevenson. Elizabeth Lee Hazen 1885-1975 961
- Baker, Kenneth F., George A. Zentmyer and Ellis B. Cowling (ed.). Annual review of phytopathology, volume 13; review 215
- Bakshi, B. K. See Cunningham et al. 640
- Bandoni, R. J. [Review of] An illustrated guide to aquatic and waterborne hyphomycetes (fungi imperfecti) with notes on their biology 218
- Baptist, J. N. and C. P. Kurtzman. Comparative enzyme patterns in *Cryptococcus laurentii* and its taxonomic varieties 1195
- Barnett, J. A. and R. J. Pankhurst. A new key to the yeasts; review 1277
- Baroni, T. J., D. L. Largent and H. D. Thiers. New taxa of boletes of northwestern California 655
- Barr, Margaret E. *Buergenerula* and the *Physosporrellaceae* 611
- Basidia, anomalous 481
- Basidiocarp formation by *Laccaria laccata* in agar culture 211
- Bauman, Debra M. See Kurup et al. 662
- Benzidine as a substrate for measuring phenoloxidase activity in crude cell-free extracts of *Schizophyllum commune* 277
- Berry, D. R. See Smith and Berry 223, 954
- Bigelow, Howard E. and Harry D. Thiers (ed.). Studies on higher fungi; review 215
- Biographies
Fields, William Grady 451
Hazen, Elizabeth Lee 961
Wolf, Frederick T. 229
- Bird's nest fungi; review 1139
- Bistis, George N. [Review of] Primitive sensory and communication systems: the taxes and tropisms of micro-organisms and cells 1138
- Blackfly, animal 523
- Blackwell, Meredith and James W. Kimbrough. A developmental study of the termite-associated fungus *Coreomycetopsis oedipus* 551
— and —. Structure of the termite-associated fungus *Laboulbeniopsis termitarius* 541
- Blanton, Richard L. *Pseudocolus fusiformis*, new to North Carolina 1235
- Booth, C. See Hawksworth and Booth 195
- Bothast, R. J. See Hesseltine et al. 341
- Boydston, Jerry. See Guzmán et al. 1267
- Brachybasidiaceae 640-654
- Brodie, Harold J. Bird's nest fungi; review 1139
- Brooks, Travis E. See Keller and Brooks 834, 1204
- Brouk, B. Plants consumed by man; review 959
- Budding, *Chionosphaera* 490
- Buergenerula* and the *Physosporrellaceae* 611
- Burdick, Donald. See McHan and Burdick 178
- Burnett, J. H. Mycogenetics: an introduction to the general genetics of fungi; review 216
- Burton, K. A., L. K. Nakamura and M. C. Cadmus. Identification of polysaccharide-producing black yeasts 685
- Cadmus, M. C. See Burton et al. 685
- Calderone, Richard A. Endogenous respiration of fatty acids of *Phialophora dermatitidis* 99
— and C. Norman. The activity of some respiratory-associated enzymes in sterol and nonsterol grown cultures of *Phytophthora cactorum* 440
- California boletes V. Two new species of *Boletus* 976
- Cantharelloid fungi 304
- Capital Systems Group, Inc. Improving the dissemination of scientific and technical information: A practitioner's guide to innovation; review 447
- Capnodiaceae 721
- Capellini, R. A. See Maiello and Cappellini 1174
- Carbohydrate nutrition of *Mucor miehei* and *M. pusillus* 190
- Carbon effect, *Phyllosticta* 1174
- Carbon source effect, *Papulaspora* 168
- Carlile, M. J. Primitive sensory and communication systems: the taxes and tropisms of micro-organisms and cells; review 1138
- Carmichael, J. W. [Review of] An introduction to numerical classification 1274
— See Kuhlman et al. 1188
- Caroselli, Nestor E. See Levettin and Caroselli 1254

- Cellulase enzymes in culture filtrates of *Ceratocystis paradoxa* 1083
- Cellulin granules 87
- Chaetomium cellulolyticum, a new thermotolerant and cellulolytic Chaetomium I. Isolation, description and growth rate 600
- Chaetothyriaceae 719, 756
- Chahal, D. S. and D. L. Hawksworth. Chaetomium cellulolyticum, a new thermotolerant and cellulolytic Chaetomium I. Isolation, description and growth rate 600
- Chapman, E. S. and D. S. Ostrovsky. Protein changes in response to temperature stress in *Papulaspora thermophila* 678
- Chapman, Eugene S. See Sahn and Chapman 168
- Chemische Farbreaktionen von Pilzen; review 227
- Chemistry, Psilocybe 1261
- Chien, Chiu-Yuan. See Davidson and Chien 1152
- Christensen, C. M. Molds, mushrooms, and mycotoxins; review 952
- Clavicipitaceae 994
- Clifford, H. T. and W. Stephenson. An introduction to numerical classification; review 1274
- Clintamra, a new smut genus 1239
- Cochrane, Vincent W. [Review of] Fungal lipid biochemistry 225
- Colonization of soybeans by species of *Fusarium* 1002
- Commentario della Società Crittogamologia Italiana; review 951
- Comparative enzyme patterns in *Cryptococcus laurentii* and its taxonomic varieties 1195
- Conidial production of *Nomuraea rileyi* on *Pseudoplusia includens* 436
- Conidiobolus thromboides isolated in Maryland 939
- Coniophoraceae 970
- Cordas, David I. and Rubén Durán. Clintamra, a new smut genus 1239
- Corneromyces kinabalui, gen. nov., sp. nov. (Aphylllophorales, Coniophoraceae) 970
- Corticulous myxomycetes IV: *Badhamiopsis*, a new genus for *Badhamia ainoae* 834
- Corticulous myxomycetes V: observations on the genus *Echinostelium* 1204
- Cowan, George and Florence. See Wasson et al. 953
- Cowling, Ellis B. See Baker et al. 215
- Cox, Darrell E. A new homobasidiomycete with anomalous basidia 481
- Crane, J. L. See Shearer and Crane 946
- , See Shearer et al. 184
- Cribbeaceae 1097
- Cryogenic storage 377
- Cultural and morphological variation in *Sadasivania bhustha* (Fungi Imperfecti) 891
- Cultural and other morphological studies of *Sparassis radicata* and related species 622
- Cunningham, John L., B. K. Bakshi, Paul L. Lentz, and Martina S. Gilliam. Two new genera of leaf-parasitic fungi (Basidiomycetidae: Brachybasidiaceae) 640
- Cypress decay 1152
- Cytology
- Hydnum 666
- Sordaria 30
- Cytology of *Triangularia backusii* 984
- Daniels, Barbara A. and Shirl O. Graham. Effects of nutrition and soil extracts on germination of *Glomus mosseae* spores 108
- Darimont, Fredi. Recherches mycosociologiques dans les Forêts de Haute Belgique; review 955
- da Silva Lacaz, C., P. S. Minami and A. Purchio (ed.). O grande mundo dos fungos; review 956
- Davidson, Ross W. and Chiu-Yuan Chien. Three decays of cypress in Taiwan 1152
- Davis, E. E. and S. C. Jong. Basidiocarp formation by *Laccaria laccata* in agar culture 211
- Dean, David F. See Ajello et al. 52
- Deightoniella argemonensis, a new fungus on Mexican pricklepoppy, associated with *Cercosporidium guianense* 1093
- Deploey, J. J. Carbohydrate nutrition of *Mucor miehei* and *M. pusillus* 190
- , See Adams and Deploey 934
- Description and chemical analysis of a new species of hallucinogenic *Psilocybe* from the Pacific northwest 1261
- Development and cytology of *Sordaria humana* 30
- Development of the ascocarp in *Epichloë cinerea* (Clavicipitaceae) 994
- Developmental study of the termite-associated fungus *Coreomycetopsis oedipus* 551
- Die terrestrischen Stachelpilze Europas: the terrestrial hydnums of Europe; review 226, 1135
- Dimorphism, *Chionosphaera* 498
- Distribution, plant associates and variation in basidiocarps of *Pisolithus tinctorius* in the United States 672
- DNA homologies among heterothallic species of *Neurospora* 388

- Dumont, K. P. Sclerotiniaceae XI. On *Moellerodiscus* (= *Ciboriopsis*) 233
 —. Sclerotiniaceae XII. On some selected species from India 842
- Duncan, Bettie, D. N. Shah, and Sister Ann Christopher Herald. Fat production in *Epicoccum nigrum* 412
- Durán, Rubén. See Cordas and Durán 1239
- Dutta, S. K. DNA homologies among heterothallic species of *Neurospora* 388
- Ectendomycorrhizae 362
- Effect of environment on sexual reproduction of *Gibberella zeae* 327
- Effects of carbon sources on *Papulaspora thermophila* at various temperatures 168
- Effects of linoleate and acetate on the growth and lipid composition of mycelium of *Agaricus bisporus* 453
- Effects of nutrition and soil extracts on germination of *Glomus mosseae* spores 108
- Effects of temperature and nitrogen sources on the parasitism of *Dimargaris verticillata* on *Mortierella alpina* and *M. ramanniana* var. *angulisporea* 920
- El-Buni, Abdulaziz M. and Robert W. Lichtwardt. Asexual sporulation and mycelial growth in axenic cultures of *Smittium* spp. (*Trichomycetes*) 559
 — and —. Spore germination in axenic cultures of *Smittium* spp. (*Trichomycetes*) 573
- Electrostatic theory to explain violent spore liberation by *Drechslera turcica* and other fungi 63
- Elizabeth Lee Hazen 1885–1975; biography 961
- Ellis, J. J., L. J. Rhodes and C. W. Hesseltine. The Genus *Amylomyces* 131
- Emerson, Ralph. [Review of] *Molds, mushrooms, and mycotoxins* 952
- Endogenous respiration and fatty acids of *Phialophora dermatitidis* 99
- Entomophthora species with *E. muscae-like* conidia 1
- Entomophthoraceous infection 181
- Entomophthorales 1042
- Enzyme patterns, *Cryptococcus* 1195
- Enzymes, cellulase 1083
- Epidemics of plant disease: mathematical analysis and modelling; review 219
- Erb, K. See Jordan and Erb 920
- Errata 1278
- Erwin, D. C. See Ribeiro et al. 1162
- Escobar, Gustavo A., Dennis E. McCabe, and Craig W. Harpel. *Limnoperdon*, a floating gasteromycete isolated from marshes 874
- Estuarine species of *Phlyctochytrium* (*Chytridiales*) having a transient requirement for sodium 470
- Ethnomycology of the Sanama Indians 201
- Etiology, *Saksenaea* 52
- Euantennariaceae 703, 772
- Extracellular and intracellular phenoloxidase activity during growth and development in *Schizophyllum* 268
- Factors affecting dispersal distance of small organisms; review 1273
- Factors affecting growth and reproduction in selected species of *Aphanomyces* 1221
- Farr, David F. See Miller and Farr 959
- Farr, Marie L. Annotated list of Spegazzini's fungus taxa; review 1135
- Fat production in *Epicoccum nigrum* 412
- Fatty acids, *Phialophora* 99
- Fell, J. W. See Newell and Fell; review 1137
- Fidalgo, Oswaldo and Ghilleen T. France. The ethnomycology of the Sanama Indians 201
- Field guide to western mushrooms; review 222
- Filamentous fungi. Vol. I. Industrial mycology; review 223
- Filobasidiaceae 503
- Fink, Jordan N. See Kurup et al. 662
- Flegler, Stanley L. William Grady Fields (1933–1975) 451
- Fogel, Robert. Notes on distribution and spore ornamentation of *Mycoclevis siccigleba* (*Basidiomycetes*, *cribbeaceae*) 1097
- Fowles, Bruce. Factors affecting growth and reproduction in selected species of *Aphanomyces* 1221
- Francis, Shelia M. *Anthostomella* Sacc. (Part I); review 226
- Frederick Adolph Wolf 1885–1975; biography 229
- Fungal lipid biochemistry; review 224
- Fungi: *Basidiomycetes*, *Boletales*; review 1136
- Fungi of India (1967–71); review 1137
- Fungi that decay ponderosa pine; review 217
- Galapagos Islands, *Neocosmospora* 1111
- Gams, Walter. [Review of] A monograph of *Chalara* and allied genera 957
- Gasteromycetes, *Limnoperdon* 874
- Geesteranus, R. A. Mass. Die terrestrischen Stachelpilze Europas: The

- terrestrial hydnums of Europe; review 1135
- Genetics
 Aspergillus 159
 Chionosphaera 491
 Sparassis 626
- Genus Aleuria in India 1020
- Genus Amylomyces 131
- Germination of spores of *Glomus macrocarpus* (Endogonaceae) after passage through a rodent digestive tract 433
- Gessner, Robert V. In vitro growth and nutrition of *Buergenerula spartinae*, a fungus associated with *Spartina alterniflora* 583
- Gibberella baccata, the perfect state of *Fusarium lateritium* in Nigeria 1108
- Gibberellin 151
- Gilbertson, R. L. See Martin and Gilbertson 622
- and K. J. Martin. *Polyporus coronadensis*, a new species from Arizona 1116
- Gilbertson, Robert L. Fungi that decay *ponderosa* pine; review 217
- Gilliam, Martina S. See Cunningham et al. 640
- Gins, J. *Coneromyces kinabalui*, gen. nov., sp. nov. (Aphyllphorales, Coniophoraceae) 970
- . [Review of] Fungi that decay *ponderosa* pine 218
- Gleason, Frank H. and George L. Long. Alcohol dehydrogenase in *Mucorales* III 426
- Glucose effect
 Aphanomyces 1226;
 Phymatotrichum 1013
- Graham, Donald C. [Review of] Preliminary experimentation in the development of natural food analogues for culture of detritivorous shrimp 1137
- Graham, Shirl O. See Daniels and Graham 108
- . See Green et al. 929
- Graham, S. O., N. E. Green, and J. W. Hendrix. The influence of vesicular-arbuscular mycorrhizal fungi on growth and tuberization of potatoes 925
- Grand, L. F. Distribution, plant associates and variation in basidiocarps of *Pisolithus tinctorius* in the United States 672
- Gray, William D. [Review of] The filamentous fungi. Vol. I. Industrial mycology 224
- Green, N. E. See Graham et al. 925
- , S. O. Graham, and N. C. Schenck. The influence of pH on germination of vesicular-arbuscular mycorrhizal spores 929
- Gregory, P. H. [Review of] Epidemics of plant disease: mathematical analysis and modelling 220
- Guzmán, Gastón and Jonathan Ott. Description and chemical analysis of a new species of hallucinogenic *Psilocybe* from the Pacific Northwest 1261
- , Jonathan Ott, Jerry Boydston, and Steven H. Pollock. Psychotropic mycoflora of Washington, Idaho, Oregon, California and British Columbia 1267
- Hadlok, R. See Samson et al. 960
- Halling, Roy E. See Thiers and Halling 976
- Hallucinogenic mushroom 1261
- Harpel, Craig W. See Escobar et al. 874
- Hartig, Robert. Important diseases of forest trees: contributions to mycology and phytopathology for botanists and foresters; review 226
- Hattingh, M. J. See Schoknecht and Hattingh 296
- Haustoria, *Hyalospora* 1037
- Hawksworth, D. L. See Chahal and Hawksworth 600
- and C. Booth. Some observations on *Nectria heterospora* 195
- Haynes, W. C. See Hwang et al. 377
- Hendrix, James W. and George Rouser. Polar lipids of *Phytophthora parasitica* var. *nicotianae*, in comparison with those of selected other fungi 354
- Hendrix, J. W. See Graham et al. 925
- Herald, Sister Ann Christopher. See Duncan et al. 412
- Hesseltine, C. W. See Ellis et al. 131
- , O. L. Shotwell, V. F. Kwolek, E. B. Lillehoj, W. K. Jackson, and R. J. Bothast. Aflatoxin occurrence in 1973 corn at harvest. II. Mycological studies 341
- Holcomb, Gordon E. and Antonios A. Antonopoulos. *Alternaria alternantherae*: a new species found on alligatorweed 1125
- Horst, R. K. See Tschanz et al. 327
- Hsieh, P. H. See Szaniszló et al. 117
- Huang, L. H. Cytology of *Triangularia backusii* 984
- Hughes, Stanley J. Sooty moulds 693
- Human pathogens
Conidiobolus 181
Saksenaea 52
- Human zygomycosis 58
- Humber, Richard A. Systematics of the genus *Strongwellsea* (Zygomycetes: Entomophthorales) 1042
- Humidity effect, *Dreschlera* 67

- Hwang, Shuh-wei, W. F. Kwolek, and W. C. Haynes. Investigation of ultralow temperature for fungal cultures III. Viability and growth rate of mycelial cultures following cryogenic storage 377
- Hydrogen effect, *Saprolegnia* 527
- Icones microfungorum a Matsushima lectorum; review 955
- Identification of polysaccharide-producing black yeasts 685
- Identity of the etiological agent of the first deep entomophthoraceous infection of man in the United States 181
- Illinois fungi 6. Two new species of wood-inhabiting hyphomycetes from freshwater 184
- Illinois fungi No. 7. *Rogersia annelidica* gen. & sp. nov. an aquatic hyphomycete colonizing leaves in the Sangamon River 946
- Illustrated guide to aquatic and water-borne hyphomycetes (*Fungi Imperfecti*) with notes on their biology; review 218
- Important diseases of forest trees: contribution to mycology and phytopathology for botanists and foresters; review 226
- Improving the dissemination of scientific and technical information: A practitioner's guide to innovation; review 447
- Index of the common fungi of North America (synonymy and common names); review 959
- India, *Aleuria* 1020
- Induction and ultrastructure of the multicellular (sclerotic) morphology in *Phialophora dermatitidis* 117
- Influence of carbon and nitrogen nutrition on pycnidium development in *Phyllosticta antirrhini* 1174
- Influence of pH on the germination of vesicular-arbuscular mycorrhizal spores 929
- Influence of qualitative and quantitative radiation on reproduction and spore germination of four *Phytophthora* species 1162
- Influence of vesicular-arbuscular mycorrhizal fungi on growth and tuberization of potatoes 925
- Ingle, M. Blake. See Lasure and Ingle 1145
- Ingold, C. T. An illustrated guide to aquatic and water-borne hyphomycetes (*Fungi Imperfecti*) with notes on their biology; review 218
- Introduction to biochemistry of fungal development; review 954
- Introduction to numerical classification; review 1274
- Investigation of ultralow temperature for fungal cultures III. Viability and growth rate of mycelial cultures following cryogenic storage 377
- In vitro growth and nutrition of *Buergerula spartinae*, a fungus associated with *Spartina alterniflora* 583
- Irradiation effect, *Drechlera* 68
- Irwin, Richard S. See Ajello et al. 52
- Isolate of *Saprolegnia australis* from southeastern North Carolina 1258
- Jack, Michele A. See Tansey and Jack 1061
- Jackson, W. K. See Hesseltine et al. 341
- Jenkins, David T. and Ronald H. Petersen. A neotype specimen for *Amanita muscaria* 463
- Jennings, D. H. and D. L. Lee (ed.). *Symbiosis*; review 960
- Johnson, B. E. C., J. F. Preston, and J. W. Kimbrough. Quantitation of amanitins in *Galerina autumnalis* 1248
- Jong, S. C. See Davis and Jong 211
- . See King and Jong 181
- . See King et al. 939
- Jordan, E. G. and K. Erb. Effects of temperature and nitrogen sources on the parasitism of *Dimargaris verticillata* on *Mortierella alpina* and *M. ramanniana* var. *angulisporea* 920
- Karling, John S. A virulent parasite of *Karlingia rosea* 1245
- Kaushal, S. C. Genus *Aleuria* in India 1020
- Keller, Harold W. and Travis E. Brooks. *Corticolous myxomycetes IV: Badhamiopsis*, a new genus for *Badhamia ainoae* 834
- and ———. *Corticolous myxomycetes V: observations on the genus Echinostelium* 1204
- Kendrick, Bryce. See Nag Raj and Kendrick 957
- Kenerley, Charles M. and Jack D. Rogers. On *Hypoxylon serpens* in culture 688
- Keys
- Aleuria*, species 1021
 - Brachybasidiaceae*, genera 642
 - Conidiobolus*, species 2
 - Echinostelium*, species 1219
 - Moellerodiscus*, species 235
 - Phyllachorales*, families 615
 - Physaraceae*, genera 839
 - Strongwellsea*, species 1058

- Khan, Saeed R. and P. H. B. Talbot. Ultrastructure of septa in hyphae and basidia of *Tulasnella* 1027
- Kimbrough, James W. See Blackwell and Kimbrough 541, 551
- Kimbrough, J. W. See Preston et al. 1248
- King, D. S. and S. C. Jong. Identity of the etiological agent of the first deep entomophthoraceous infection of man in the United States 181
- , E. Lahn and S. C. Jong. *Conidiobolus thromboides* isolated in Maryland 939
- Kish, Leslie P. and George E. Allen. Conidial production of *Nomuraea rileyi* on *Pseudoplasia* includes 436
- Korf, R. K. [Review of] Annotated list of Spegazzini's fungus taxa 1135
- , [Review of] Annual review of phytopathology, volume 13, 215
- , [Review of] Atti della Società Crittogamologica Italiana 951
- , [Review of] Commentario della Società Crittogamologica Italiana 951
- , [Review of] Die terrestrischen Stachelpilze Europas: The terrestrial hydniums of Europe 226, 1135
- , [Review of] Icones microfungorum a Matsushima lectorum 955
- , [Review of] Maria Sabina and her Mazatec mushroom velada 953
- , [Review of] Mycogenetics: an introduction to the general genetics of fungi 217
- , [Review of] Studies on higher fungi 215
- , [Review of] Improving the dissemination of scientific and technical information: A practitioner's guide to innovation 447
- Kowalski, Donald T. See Mock and Kowalski 370
- Kramer, Charles. [Review] of Factors affecting dispersal distances of small organisms 1273
- Krans, Jurgen (ed.). Epidemics of plant disease: mathematical analysis and modelling; review 219
- Kreger-van Rij, N. J. W. See Kurtzman and Kreger-van Rij 422
- Kuhlman, E. G., J. W. Carmichael, and T. Miller. *Scytalidium uredinicola*, a new mycoparasite of *Cronartium fusiforme* on *Pinus* 1188
- Kurtzman, C. P. [Review of] A new key to the yeasts 1277
- , See Baptist and Kurtzman 1195
- and D. G. Ahearn. Sporulation in *Pichia spartinae* 682
- and N. J. W. Kreger-van Rij. Ultrastructure of ascospores from *Debaryomyces melissophilus*, a new taxonomic combination 422
- Kurtzman, R. H., Jr. Nutrition of *Pleurotus sapidus*: effects of lipids 286
- Kurup, Viswanath P., Jordan N. Fink, and Debra M. Bauman. Thermophilic Actinomycetes from the environment 662
- Kwolek, W. F. See Hesseltine et al. 341
- , See Hwang et al. 377
- Kwon-Chung, K. J. Morphogenesis of *Filobasidiella* neoformans, the sexual state of *Cryptococcus neoformans* 821
- , A new species of *Filobasidiella*, the sexual state of *Cryptococcus neoformans* B and C serotypes 942
- Laboratory cultivation of *Licea alexopouli* 370
- Lactalbumin hydrolysate 531
- Lahn, D. See King et al. 939
- Lal, Girdhari. See Sarbhov, et al.; review 1137
- Largent, D. L. See Baroni et al. 655
- Lasure, Linda L. and M. Blake Ingle. Some effects of temperature on zygospore formation in *Mucor miehei* 1145
- Leach, Charles M. An electrostatic theory to explain violent spore liberation by *Drechslera turcica* and other fungi 63
- Leaf voltage effect, *Drechslera* 71
- Lee, D. L. See Jennings and Lee 960
- Lee, Helen Y., James R. Swafford and Jerome M. Aronson. Architecture and deposition of cellulin granules in *Apodachyla* sp 87
- Lehrian, Douglas W., Lee C. Schisler, and Stuart Patton. The effects of linoleate and acetate on the growth and lipid composition of mycelium of *Agaricus bisporus* 453
- Lentz, Paul L. See Cunningham et al. 640
- Leonard, K. J. Synonymy of *Exserohilum halodes* with *E. rostratum*, and induction of the asigerous state, *Setosphaeria rostrata* 402
- Leonard, Thomas J. See Phillips and Leonard 268, 277
- Levetin, Estelle and Nestor E. Garoselli. A simplified medium for growth and sporulation of *Pilobolus* species 1254
- Lichens; review 450
- Lichtwardt, Robert W. See El-Buni and Lichtwardt 559, 573
- Light effect
- *Drechslera* 66
- *Gibberella* 330

- Lillehoj, E. B. See Hesseltine et al. 341
 Limnoperdon, a floating gasteromycete isolated from marshes 874
 Linkage groups in *Aspergillus flavus* 159
 Linoleate effect, *Agaricus* 453
 Lipid composition, mycelium 453
 Lipid effect, *Pleurotus* 286
 Locquin, Marcel V. Natural color guide; review 1275
 Long, George L. See Gleason and Long 426
 Lowy, B. New Tremellales from Panama 1103
 Luttrell, E. S. [Review of] Pyrenomycetous fungi 1142
 Lyda, Stuart D. Optimizing mycelial respiration of *Phymatotrachium omnivorum* 1011
 Maas, John L. Stimulation of sporulation of *Phytophthora fragariae* 511
 Maas Geesteranus, R. A. Die terrestrischen Stachelpilze Europas: The terrestrial hydnum of Europe; review 226, 1135
 Mabadeje, S. A. See Afanide et al. 1108
 MacLeod, D. M., E. Müller-Kögler and N. Wilding. Entomophthora species with E. muscae-like conidia 1
 Mahoney, D. P. New Neocosmospora from Galapagos Island soil 1111
 Maiello, J. M. and J. L. Peterson. Pycnidium ontogeny in *Phyllosticta antirrhini* 1121
 ——— and R. A. Cappellini. The influence of carbon and nitrogen nutrition on pycnidium development in *Phyllosticta antirrhini* 1174
 Malloch, David. *Agaricus brunneus*: the cultivated mushroom 910
 María Sabina and her Mazatec mushroom velada; review 953
 Marlowe, J. D. See Szaniszló et al. 117
 Marr, Currie D. [Review of] *Ramaria* subgenus *Lentoramaria* with emphasis on North American taxa 220
 Martin, K. J. See Gilbertson and Martin 1116
 ——— and R. L. Gilbertson. Cultural and other morphological studies of *Sparassis radicata* and related species 622
 Maser, Chris. See Trappe and Maser 433
 Matsushima, Takashi. *Icones microfungorum a Matsushima lectorum*; review 955
 Matthews, Frank D. See Pollack and Matthews 1093
 McCabe, Dennis E. See Escobar et al. 874
 McGinnis, Michael R. Ontogeny of *Hyalospora polypodii* haustoria 1037
 McHan, Frank and Donald Burdick. A new technique for the dispersion of insoluble materials in agar media 178
 McKnight, K. H. On *Lachnella populicola* Seaver 1129
 ———. [Review of] Natural color guide 1275
 Media
 alfalfa brown juice 287
 hemin 1255
 molasses 287
 Norkran 642
 Pilobolus 1254
 rice straw decoction 287
 soy solubles 287
 2x thioglycolate broth 472
 Medical mycology 181
 Meixner, A. Chemische Farbreaktionen von Pilzen; review 227
 Metacapnodiaceae 707,787
 Methods in cell biology, Volume X; review 227
 Methods in cell biology, volume XI: yeast cells; review 450
 Mhaskar, D. N. and V. G. Rao. Development of the ascocarp in *Epichloë cinerea* (Clavicipitaceae) 994
 Microbiology—1975; review 450
 Miller, M. A. See Shearer et al. 184
 Miller, Orson K., Jr and David F. Farr. Index of the common fungi of North America (synonymy and common names); review 959
 Miller, T. See Kuhlman et al. 1188
 Minami, P. S. See da Silva Lacaz et al. 956
 Mitosis in *Ancylistes* sp. 902
 Mock, Darryl L. and Donald T. Kowalski. Laboratory cultivation of *Licea alexopouli* 370
 Molds, mushrooms, and mycotoxins; review 952
 Monograph of *Chalara* and allied genera; review 957
 Moorman, G. W. Mitosis in *Ancylistes* sp. 902
 Morphogenesis of *Filobasidiella neoformans*, the sexual state of *Cryptococcus neoformans* 821
 Morphology
 Coreomycetopsis 551
 Epichloë 994
 Hyalospora 1037
 Laboulbeniopsis 541
 Mycolevis 1097
 Neocosmospora 1181
 Phallus 1077
 Phialophora 17
 Phyllosticta 1121
 Pisolithus 672
 Sadasivania 891
 Schizophyllum 268

- Sparassis 622
 Triangularia 984
 Tulasnella 1027
- Mucorales 426
 Mucor circinelloides, Mucor racemosus and related species; review 959
 Müller-Kögler, E. See MacLeod et al. 1
 Muntanjola-Cvetković, M. and B. Ristanović. A new species of Embellisia isolated from sea water 47
 Mycogenetics: an introduction to the general genetics of fungi; review 216
 Mycologists, portraits
 Brown, Rachel frontisp (5)
 Hazen, Elizabeth Lee frontisp (5)
 Hughes, Stanley J. frontisp (4)
 Wolf, Frederick T. frontisp (2)
 Mycoparasites
 Chionosphaera 496
 Dimargaris 920
 Rhizophydium 1245
 Scytalidium 1188
 Mycorrhiza 296, 362, 925, 929
 Myxomycetes 1204
- Nag Raj, T. R. and Bryce Kendrick. A monograph of Chalara and allied genera; review 957
 Nakamura, L. K. See Burton et al. 685
 Naqvi, S. H. Z. See Afanide et al. 1108
 Natural color guide, Guide de couleurs naturelles, de Coloribus Naturalium; review 1275
 Nelson, Paul E. See Tschanz et al. 327
 Nelson, Rodney K. and Raymond W. Scheetz. Thread phase ultrastructure in Ceratiomyxa fruticulosa 144
 Neotype specimen for Amanita muscaria 463
 Newell, S. Y. and J. W. Fell. Preliminary experimentation in the development of natural food analogues for culture of detritivorous shrimp; review 1137
 New homobasidiomycete with anomalous basidia 481
 New key to the yeasts; review 1277
 New Neocosmospora from Galapagos Island soil 1111
 New species of Embellisia isolated from sea water 47
 New species of Filobasidiella, the sexual state of Cryptococcus neoformans B and C serotypes 942
 New species of Mycosphaerella from India 175
 New taxa of boletes of northwestern California 655
 New technique for the dispersion of insoluble materials in agar media 178
 New Tremellales from Panama 1103
 Nigeria
 Fusarium 1108
 Phallus 1076
 Ninhydrin substances 529
 Nitrogen effect
 Aphanomyces 1224
 Phyllosticta 1174
 Nitrogen source effect
 Dimargaris 920
 Nolan, Richard A. Physiological studies on an isolate of Saprolegnia ferax from the larval gut of the blackfly Simulium vittatum 523
 Norman, C. See Calderone and Norman 440
 Notes on cantharelloid fungi. VII. The taxa described by Charles H. Peck 304
 Notes on cantharelloid fungi. VIII. A new species of Gomphus 429
 Notes on distribution and spore ornamentation of Mycolevis sicigleba (Basidiomycetes, Cribbeaceae), 1097
 Notices 1278, 1279
 Nuclear migration rates in Coprinus congregatus: a new record? 418
 Nutrition, Glomus 108
 Nutrition of Pleurotus sapidus: effects of lipids 286
 Nyvall, Robert F. Colonization of soybeans by species of Fusarium 1002
- Observations on Nectria heterospora 195
 O grande mundo dos fungos; review 956
 Olutiola, P. O. Cellulase enzymes in culture filtrates of Ceratocystis paradoxa 1083
 On Hypoxylon serpens in culture 688
 Onions, mycorrhizal 296
 On Lachnella populicola Seaver 1129
 On Mucor mucedo, Mucor flavus and related species; review 227
 Ontogeny of Hyalopsora polypodii haustoria 1037
 Optimizing mycelial respiration of Phymatotrimum omnivorum 1011
 Oso, B. A. Phallus aurantiacus from Nigeria 1076
 Ostrovsky, D. S. See Chapman and Ostrovsky 678
 Ott, Jonathan. See Guzmán and Ott 1661
 —. See Guzmán et al 1267
- Padgett, David E. An isolate of Saprolegnia australis from southeastern North Carolina 1258
 Palmer, J. T. [Review of] Bird's nest fungi 1139
 Pankhurst, R. J. See Barnett and Pankhurst 1277

- Papa, K. E. Linkage groups in *Aspergillus flavus* 159
- Pathogenicity of a gibberellin-producing and a nonproducing strain of *Fusarium moniliforme* in oats as determined by a colorimetric assay for N-acetyl glucosamine 151
- Patton, Stuart. See Lehrian et al. 453
- Peck, Charles H., cantharelloid fungi 304
- Petersen, Ronald H. Notes on cantharelloid fungi. VII. The taxa described by Charles H. Peck 304
- . Notes on cantharelloid fungi. VIII. A new species of *Gomphus* 429
- . *Ramaria* subgenus *Lentoramaria* with emphasis on North American taxa; review 220
- . See Jenkins and Petersen 463
- . See Restivo and Petersen 666
- Peterson, J. L. See Maiello and Peterson 1121
- Phallus aurantiacus from Nigeria 1076
- Phenoloxidase activity 268, 277
- Phillips, Lou Ellen and Thomas J. Leonard. Extracellular and intracellular phenoloxidase activity during growth and development in *Schizophyllum* 268
- and T. J. Leonard. Benzidine as a substrate for measuring phenoloxidase activity in crude cell-free extracts of *Schizophyllum commune* 277
- Phyctochytrium lackeyi, a chytrid on pine pollen in Florida 1233
- Phomopsis destructum on Psidium guajava fruits in India 1132
- Phosphate effect, *Saprolegnia* 527
- Phylogeny, *Chionosphaera* 501
- Physiological studies on an isolate of *Saprolegnia ferax* from the larval gut of the blackfly *Simulium vittatum* 523
- Physiology
- Agaricus* 453
 - Aphanomyces* 1221
 - Buergenerula* 583
 - Chaetomium* 600
 - Dimargaris* 921
 - Phyctochytrium* 470
 - Phymatotrichum* 1011
 - Phytophthora* 511
 - Sadasivania* 893
 - Schizophyllum* 268, 277
 - Smittium* 559, 573
- Physosporrellaceae 611-621
- Plants consumed by man; review 959
- Polar lipids of *Phytophthora parasitica* var *nicotianae*, in comparison with those of selected other fungi 354
- Pollack, Flora G. and Frank D. Matthews. *Deightonella argemonensis*, a new fungus on Mexican pricklypoppy, associated with *Cercosporidium guianense* 1093
- Pollack, Steven. See Guzmán et al. 1267
- Polyporus coronadensis, a new species from Arizona 1116
- Prance, Ghilleen T. See Fidalgo and Prance 201
- Preliminary experimentation in the development of natural food analogues for culture of detritivorous shrimp; review 1137
- Prescott, David M. (ed.). Methods in cell biology, volume XI: yeast cells; review 450
- . Methods in cell biology, Volume X; review 227
- Preston, J. F. See Johnson et al. 1248
- Primitive sensory and communication systems: the taxes and tropisms of micro-organisms and cells; review 1138
- Protein changes in response to temperature stress in *Papulaspora thermophila* 678
- Pseudocolus fusiformis, new to North Carolina 1235
- Psychotropic mycoflora of Washington, Idaho, Oregon, California and British Columbia 1267
- Pteridophytes, *Dryopteris* 882
- Purchio, A. See da Silva Lacaz et al. 956
- Pure culture synthesis of Pacific madrone ectendomycorrhizae 362
- Pycnidium formation, *Phyllosticta* 1174
- Pycnidium ontogeny in *Phyllosticta antirrhini* 1121
- Pyrenomycetous fungi; review 1142
- Quantitation of amanitins in *Galerina autumnalis* 1248
- Radiation effect, *Phytophthora* 1162
- Rain effect, *Drechslera* 83
- Ramaria* subgenus *Lentoramaria* with emphasis on North American taxa; review 220
- Rao, D. P. C., S. C. Agrawal and S. B. Saksena. *Phomopsis destructum* on *Psidium guajava* fruits in India 1132
- Rao, V. G. See Mhaskar and Rao 994
- Recherches mycosociologiques dans les Forêts de Haute Belgique; review 955
- Report of *Burrillia* (Ustilaginales) in pure culture 166
- Respiration, *Phymatotrichum* 1011
- Restivo, J. H. and R. H. Petersen. Studies on nuclear division and behavior within basidia I. *Hydnum umbilicatum* 666

- Revision of the subsection Fasciculata of *Penicillium* and some allied species; review 960
- Rhodes, L. J. See Ellis et al. 131
- Rhodes, Willard. See Wasson et al. 953
- Ribeiro, O. K., G. A. Zentmyer, and D. C. Erwin. The influence of qualitative and quantitative radiation on reproduction and spore germination of four *Phytophthora* species 1162
- Richesses mycologiques de la Provence avec quelques espèces des régions limitrophes et de la Corse; review 960
- Ristanović, B. See Mutanjola-Cvetković and Ristanović 47
- Rogers, Jack D. See Kenerley and Rogers 688
- Ross, Ian K. Nuclear migration rates in *Coprinus congregatus*: a new record? 418
- Rouser, George. See Hendrix and Rouser 354
- Sahm, Daniel F. and Eugene S. Chapman. Effects of carbon sources on *Papulaspora thermophila* at various temperatures 168
- Saksena, S. B. See Rao et al. 1132
- Samson, R. A., Amelia C. Stolk and R. Hadlock. Revision of the subsection Fasciculata of *Penicillium* and some allied species; review 960
- Sanama Indians 201
- Sarbhov, A. K., Girdhari Lal, and J. L. Varshnev. Fungi of India (1967-71); review 1137
- S. B. Thakur. Report of *Burrillia* (Ustilaginales) in pure culture 166
- Scanning electron microscopy of *Neocosmospora ascospores* 1181
- Scheetz, Raymond W. See Nelson and Scheetz 144
- Schenck, N. C. See Green et al. 929
- Schipper, M. A. A. *Mucor circinelloides*, *Mucor racemosus* and related species, review 959
- Schipper, M. A. A. On *Mucor mucedo*, *Mucor flavus* and related species; review 227
- Schisler, Lee C. See Lehrian et al. 453
- Schlessinger, David (ed.). Microbiology —1975; review 450
- Schoknecht, J. D. and M. J. Hattings. X-ray microanalysis of elements in cells of VA mycorrhizal and non-mycorrhizal onions 296
- Sclerotic morphology, *Phialophora* 117
- Sclerotiniaceae XI. On *Moellerodiscus* (= *Ciboriopsis*) 233
- Sclerotiniaceae XII. On some selected species from India 842
- Scytalidium uredinicola*, a new mycoparasite on *Cronartium fusiforme* on *Pinus* 1188
- Sea water, *Embellisia* 47
- Seawater effect, *Buergenerula* 589
- Sexual hormones, *Chionosphaera* 493
- Sexual reproduction, *Gibberella* 327
- Shaffer, Robert L. [Review of] *The Agaricales in modern taxonomy* 449
- Shah, D. N. See Duncan et al. 412
- Shearer, C. A., and J. L. Crane. Illinois fungi no. 7. *Rogersia annelidica* gen. & sp. nov. an aquatic hyphomycete colonizing leaves in the Sangamon River 946
- , and M. A. Miller. Illinois fungi 6. Two new species of wood-inhabiting hyphomycetes from freshwater 184
- Shotwell, O. L. See Hesselstine et al. 341
- Simmons, E. G. [Review of] *Fungi of India (1967-71)* 1137
- Simplified medium for growth and sporulation of *Pilobolus* species 1254
- Singer, Rolf. *The Agaricales in modern taxonomy*; review 447
- Singh, Pritam. Some fungi in the forest soils of Newfoundland 881
- Singh, U. P. A new species of *Mycosphaerella* from India 175
- Skirgiello, Alina. Fungi: Basidiomycetes, Boletales; review 1136
- Smith, Alexander H. A field guide to western mushrooms; review 222
- Smith, Annie Lorrain. Lichens; review 450
- Smith, J. E. and D. R. Berry. An introduction to biochemistry of fungal development; review 954
- and ——— (ed.). The filamentous fungi. Vol. I. Industrial mycology; review 223
- Sodium requirement, *Phlyctochytrium* 470
- Soil extract effect, *Glomus* 108
- Soil fungi 1061
- Neocosmospora* 1111
- Newfoundland 881
- Some effects of temperature on zygospore formation in *Mucor miehei* 1145
- Some fungi in the forest soils of Newfoundland 881
- Sooty moulds 693
- Sparrow, Frederick K. *Phlyctochytrium lackeyi*, a chytrid on pine pollen in Florida 1233
- Spermatophytes
- Abies* 882, 980, 982, 1099
- Acer* 1062
- Allium* 296
- Alnus* 468, 882
- Arbutus* 362, 674, 696
- Arctostaphylos* 362, 659

- Argemone 1093
 Betula 468, 882
 Capsicum 109
 Carya 1062
 Castanea 674
 Chiococca 1112
 Citrus 674
 Cornus 882, 1062
 Cupressus 1205
 Datura 109
 Epilobium 882
 Eucalyptus 674
 Fagus 1062
 Festuca 1062
 Fraxinus 1205
 Haplopappus 669
 Hordeum 405
 Ilex 774
 Juniperus 674, 1205
 Lantana 674
 Larix 882, 1099
 Lilium 96
 Lithocarpus 980, 1099
 Manihot 206
 Molinia 18
 Monotropa 362
 Nothofagus 693, 697
 Nyssa 674
 Picea 468, 882, 1025, 1099
 Pinus 363, 659, 674
 Piscidia 1112
 Pisum 427
 Plantago 17
 Populus 674, 882
 Prunus 822
 Pseudotsuga 363, 433, 661, 882, 980, 1099
 Psidium 1132
 Quercus 371, 659, 674, 976, 980, 1062, 1205
 Roystonea 674
 Rubus 882
 Salix 695
 Sambucus 882
 Sorbus 468
 Sorghum 296, 405
 Tilia 695
 Triticum 109
 Typha 774
 Ulmus 695, 1205
 Vaccinium 882
 Vitis 1205
 Xanthoxylum 1112
 Zea 405
 Spore germination
 Glomus 109
 Phytophthora 1162
 Spore germination in axenic cultures of
 Smittium spp. (Trichomycetes) 573
 Spore liberation 63
 Sporulation in *Pichia spartinae* 682
 Sproston, Thomas. [Review of] An
 introduction to biochemistry of
 fungal development 954
 Stephenson, W. See Clifford and
 Stephenson 1274
 Stimulation of sporulation of *Phyto-*
 phthora fragariae 511
 Stolk, Amelia C. See Samson et al. 960
 Structure of the termite-associated
 fungus *Laboulbeniopsis termitarius*
 541
 Studies on higher fungi; review 215
 Studies on nuclear division and behavior
 within basidia I. *Hydnum umbili-*
 catum 666
 Stuntz, D. E. [Review of] A field guide
 to western mushrooms 222
 Sundberg, Walter J. See Wicklow and
 Sundberg 891
 Swafford, James R. See Lee et al. 87
 Symbiosis; review 960
 Synergism, *Chionosphaeria* 494
 Synonymy of *Exserohilum halodes* with
 E. rostratum, and induction of the
 ascigerous state, *Setosphaeria ro-*
 strata 402
 Systematics of the genus *Strongwellsea*
 (*Zygomycetes: Entomophthorales*)
 1042
 Szanislo, P. J., P. H. Hsieh and J. D.
 Marlowe. Induction and ultra-
 structure of the multicellular (scler-
 otic) morphology in *Phialophora*
 dermatitidis 117
 Taiwan, cypress decay 1152
 Talbot, P. H. B. See Khan and Talbot.
 1027
 Tansey, Michael R. and Michele A.
 Jack. Thermophilic fungi in sun-
 heated soils 1061
 Technique, dispersion of insoluble ma-
 terials 178
 Temperature effect
 Dimargaris 920
 Gibberella 329
 Mucor 1145
 Papulaspora 170, 678
 Phymatotrichum 1015
 Saprolegnia 526
 Termite fungi 541
 Thermophilic Actinomycetes from the
 environment 662
 Thermophilic fungi in sun-heated soils
 1061
 Thiers, Harry D. See Bigelow and
 Thiers 215
 — and Roy E. Halling. California
 boletes V. Two new species of
 Boletus 976
 Thiers, H. D. [Review of] Fungi:
 Basidiomycetes, Boletales 1136
 —. See Baroni et al. 655

- Thread phase ultrastructure in *Ceratiomyxa fruticulosa* 144
- Three decays of cypress in Taiwan 1152
- Tinea nigra* 686
- Trappe, James M. and Chris Maser. Germination of spores of *Glomus macrocarpus* (Endogonaceae) after passage through a rodent digestive tract 433.
- Triposporiopsidaceae 809, 812
- Tschanz, A. T., R. K. Horst, and Paul E. Nelson. The effect of environment on sexual reproduction of *Gibberella zeae* 327
- Two new genera of leaf-parasitic fungi (Basidiomycetidae: Brachybasidiaceae) 640
- Uecker F. A. Development and cytology of *Sordaria humana* 30
- Ultralow temperature 377
- Ultrastructure
Ceratiomyxa 144
Neocosmopora 1181
Phialophora 117
- Ultrastructure of ascospores from *Debaryomyces melissophilus*, a new taxonomic combination 422
- Ultrastructure of septa in hyphae and basidia of *Tulasnella* 1027
- van Warmelo, K. T. Scanning electron microscopy of *Neocosmopora* ascospores 1181
- Varshnev, J. L. See Sarbhov et al.; review 1137
- Virulent parasite of *Karlingia rosea* 1245
- Vitamin effect, *Buergenerula* 592
- Wasson, Gordon R., George and Florence Cowan, and Willard Rhodes. *Marla Sabina* and her Mazatec mushroom *velada*; review 953
- Watling, Roy. [Review of] *Recherches mycosociologiques dans les Forêts de Haute Belgique* 955
- Weete, John D. Fungal lipid biochemistry; review 224
- Wehmeyer, Lewis E. Pyrenomycetous fungi; review 1142
- Wicklow, Marcia C. and Walter J. Sundberg. Cultural and morphological variation in *Sadasivania bhustha* (Fungi Imperfecti) 891
- Wilding, N. See MacLeod et al. 1
- William Grady Fields (1933-1975) 451
- Wolfenbarger, D. O. Factors affecting dispersal distances of small organisms; review 1273
- Wolf, Frederick T. Frederick Adolph Wolf 1885-1975 229
- Wolf, Frederick T. [Review of] *O grande mundo dos fungos* 956
- Wood-inhabiting hyphomycetes 184
- X-ray microanalysis of elements in cells of VA mycorrhizal and nonmycorrhizal onions 296
- Yeasts, black 685
- Zak, B. Pure culture synthesis of Pacific madrone ectendomycorrhizae 362
- Zak, John C. Pathogenicity of a gibberellin-producing and a non-producing strain of *Fusarium moniliforme* in oats as determined by a colorimetric assay for N-acetyl glucosamine 151
- Zentmyer, G. A. See Ribeiro et al. 1162
- Zentmyer, George A. See Baker et al. 215
- Zygomycetes 1042
- Zygomycete *Saksenaea vasiformis* as a pathogen of humans with a critical review of the etiology of zygomycosis 52
- Zygomycosis 52
- Zygospor formation, *Mucor* 1145

FUNGUS TAXA INDEX

The Fungus Taxa Index includes genera, infrageneric taxa, species, the infraspecific taxa. New taxa and the pages where they are published are in bold-face type. An attempt has been made to correct mistakes in the spelling of scientific names where mistakes occur in the text. Synonyms are indicated by italicized page numbers. Illustrations are indicated by f preceding page numbers on which legends occur.

- Absidia* 58, 344, 345, 348, 885; *cornealis* 60; *corymbifera* 58, 60; *glauca*, 886, 888; *niger* 348; *ramosa* 60; *italiana* 60; *lichtheimii* 60; *spinosa* 886, 888
- Acanthorhynchus* 618; *vaccinii* 618
- Achaetobotrys* 701, f 715, f 716, 717, 719, 729, 743, 744; *affine* 729, 730
- Achaetomiella* 603

- Achlya ambisexualis* 105; *klebsiana* 1229
Acrasis rosea 1216
Acronium strictum 344, 345
Acrogenotheca 702, 730, 731, 748; *elegans* 699, 730, 744, 776, 808; *ornata* 730; *pulcherrima* 730
Acrophialophora nainiana 1065
Actinomyces bovis 967
Agaricostilbum palmicola 500
Agaricus 916; *sect Edules* 916; *sect Rufescentes* 916; *bisporus* 77, 286, 294, 378, 453-462, 495, 913, 918; *bitorquis* 916, f 917, 918; *brunnescens* 910-919, f 913, f 914; *campestris* 77, 82, 918; *var bisporus* 913; *var hortensis* 910, 912; *chlamydopus* 916, f 917, 918; *edulis* 918; *hortensis* 912, 918; *muscaria* 465; *muscarius* 465; *pruinosa* 318; *rodmanii* 918; *subfloccosus* 916, f 917, 918; *vaporarius* 911, 916, f 917, 918
Aithaloderma 702, 731, 737, 738, 744, 747, 756, 762, 763, 772, 781, 782, 795, 800, 809; *capensis* f 733, f 734, 735, 736, 737, 739, 740; *citri* 738; *clavatisporum* 731, 733, f 733, f 734, 735, 736, 737, 738, 740, 796; *feruginea* 735, 736, 737, 739; *spinigera* 713; *viridis* f 734, 735, 736, 737, 738, 739, 792
Aithalomyces 703, 740; *arctica* 740, 741; *rhododendri* 740, 741
Aleuria 1020-1026; *aurantia* 1021, 1024; *bicucullata* 1023; *cestrica* 1024; *dalhousiensis* 1021, 1024; *exigua* 1021, 1023; *gigantea* 1021, f 1022, 1023; *rhenana* 1021, 1025; *rubra* 1020, 1024; *wisconsinensis* 1020, 1021
Allescheria terrestris 1065, 1070, 1073, 1074
Allomyces 477
Alternaria 47, 48, 49, 344, 345, 497, 886, 1126; *alternantherae* 1125, 1126-1129, f 1127; *tenuis* 77, 886, 1004
Amanita 463, 1248, 1251, 1267; *bisporigera* 1253; *muscaria* 463-469, f 467; *ssp flavivolvata* 1268, 1269; *var muscaria* 1268; *phalloides* 1253; *verna* 1252; *virosa* 1253
Amanitopsis vaginata 380, 384
Amauroderma 208
Amazonia 740
Amylomyces 131-143; *rouxii* 131, f 133, f 135, 136, 137, 138, 141, 142
Ancylistes 902-909, f 903, f 905, f 906, f 907; *closterii* 902
Anisostomula 618; *cookeana* 618
Anxiella indica 43
Antennaria 741, 742, 802; *araucariae* 802; *cistophila* 775; *elaephila* 730, 742, 744; *ericophila* 741, 744, 794; *pinophila* 714; *rectangularis* 772; *semiovata* 754, 754; *tenuis* 786; *tropica* 742; *unedonis* 741, 742, 743
Antennariella 717, 730, 741, 742, 744, 746, 750, 751, 756, 776, 781, 782, 808; *bahiensis* 743; *californica* 743; *elaephila* 743; *elegans* 744; *perseeae* 744; *sapotae* 730, 744; *unedonis* 741, 742, 743, 745
Antennatula 705, f 705, 772, 773; *lumbicoidea* 772, 812; *pinophila* f 695, 699, 714, 772; *shawiae* 705
Antennella 750, 776; *capsulifera* 750
Antennellopsis 756
Antennopsis gallica 555, 557
Antennularia 742
Antennulariella 701, 714, 717, 719, 730, 743, 744, 745, 750, 751, 776, 802, 808; *concinna* f 715, f 716, 719, 812; *fuliginosa* 714, 744, 751
Anthurus 1236; *javanicus* 1076, 1236, 1237; *rothae* 1236, 1237
Aphanomyces 1221-1232; *astaci* 1229, 1230; *cochlioides* 1222-1231; *euteiches* 1229-1231; *phycophilus* 1230; *raphani* 1229; *stellatus* 1222-1231
Apiospora 611, 614, 619; *camptospora* 617; *curvispora* 619; *montagnei* 617, 619
Apiosporella 618; *sepincolaeformis* 618
Apiosporina 618; *corni* 618
Apiosporium rehmsii 751
Apiothyrium 619; *arcticum* 619
Aplacodina 618; *chondrospora* 618
Apodachlya 87-98, f 89, f 91, f 92, f 94
Arachnopeziza aurata 381
Arcticomycetes 642
Armillaria mellea 380, 383-385
Arthrini 617
Articularia quercina 483, 500
Arwidsonia 619; *empetri* 619
Asbolisia 745; *ampullula* 745; *citrina* 745, 749
Ascobolus equinus 991
Ascoidea 545
Ascosphaera apis 352
Aseroë arachnoidea 1076; *rubra* 1076
Aspergillus 345, 495, 885; *carneus* 886, 888; *flavipes* 417; *flavus* 159-165, 341-353; *fumigatus* 495, 886, 888, 1065, 1070; *nidulans* 159, 164, 417, 992; *niger* 159, 163, 164, 344, 345, 381, 476, 886; *ochraceus* 348; *parasiticus* 341, 352; *restrictus* 352
Asterina juniperina 800
Astragoxypium 747, 748, 777, 779; *catalpae* 747, 748; *var major* 748; *conchifolia* 748; *hibisci* 748; *hibiscii* 781; *plumeriae* 748, 805
Aureobasidium 695; *pullulans* 774, 885, 886
Auricularia 208; *auricula-judae* 380

- Badhamia* 840, 1215; *ainoae* 834-841; *ainoi* 836
Badhamiopsis 834, 835-841; *ainoae* 836, f 836
Bacillus weidmaniensis 963
Bacterium tabacum 230
Balsania claviceps var *indica* 998, 1000
Barssia oregonensis 434
Basidiobolus 58; *haptosporus* 58, 59, 382, 385; *meristosporus* 59, 382, 383; *microsporus* 382; *ranarum* 59
Belonidium 1131
Beltraniella portoricensis 617
Bipolaris 47; *halodes* 405; *rostrata* 404
Blastocladiella 477; *emersonii* 477
Bolbitius tener 380
Boletus 362, 381; *eastwoodiae* 976-979, 983; *haematinus* 980, f 981, 982, 983; *illudens* 661; *minutiporus* 661; *pulcherrimus* 977, f 978, 980, 983; *satanas* 976, 977, f 978, 980, 982; *spadiceus* var *furcatus* 659, f 660; var *spadiceus* 661
Bombardia lunata 42
Bondarzewia berkeleyi 1120
Bordetella pertussis 461
Botrytis fumago 790; *spongiosa* 807
Brachybasidium 641, 642; *pinangae* 647
Brooksia 702, 730, 731, 748; *tropicalis* 751, 808
Buergenerula 611-621; *biseptata* 611, 612, f 613, 614, 617, 619; *spartinae* 583-599; *thalictri* 611
Burrillia 166-167; *kamatii* 166, f 167
Calcarisporium parasiticum 497, 923
Caldariomyces 748, 749, 762, 763, 777-780, 806; *fasciculatus* 749; *fumago* 748, 749, 764
Calocera cornea 381
Calvatia caelata 381, 385; *craniformis* 381; *cyathiformis* 381; *gigantea* 381-385
Calycina firma 871
Calyptromyces 136
Campanella 319
Candida 684, 966; *albicans* 127, 492, 965, 966; *freyschussii* 684; *heveanensis* 1201; *maritima* 684; *obtusata* 684; *oregonensis* 684
Cantharellula 317, 321; *rosellus* 321; *umbonata* var *brevior* 310; *umbonatus* 311
Cantharellus 304, 313-317, 320, 671; sect *Leptocantharellus* 323; *aurantiacus* 324; var *pallidus* 324; *brevipes* 307; *cibarius* 305, 313, 318, 324; *cibarius anastomosis* 317; f *simplex* 324; var *albipes* 304-306; var *confertifolius* 307, 318; var *longipes* 306, 313; var *multiramis* 317; var *pallidofolius* 305, 306, 314, 318; var *plicatellus* 318; var *simplex* 318; *venosus* 324; *cinnabarinus* 316, 317; *dichotomus* 306-309, 322; var *brevior* 306; var *subcaeruleus* 310; *ignicolor* 324; *infundibuliformis* 315, 323; var *luteolus* 314; var *nigricans* 318; var *subaurantius* 324; var *subcinerereus* 322; var *typicus* 324; var *vittelinus* 324; *lateritius* 313; *minor* 314-316; *morgani* 316, 321; *odoratus* 313, 324; *olidus* 317; *pruinosis* 318; *pulchrifolius* 319; *rosellus* 317, 320; *sphaerosporus* 321; *tubaeformis* 315, 323; *umbonatus* 307; var *brevior* 306; var *dichotomus* 309; var *subcaeruleus* 322
Capnobotrys f 708, 709, 710, 752, 787, 788; *dingleyae* 699, 709; *neesii* 699, 709, 714
Capnociferia 714, 744, 749; *concinna* 749
Capnocrinum 714, 743, 744, 750, 776; *capsuliferum* 743, 750
Capnocybe f 695, f 708; *fraseriae* 709, 782; *novae-zelandiae* 709; *spongiosa* 709, 741
Capnodendron 701, 717, 719, 748, 750, 812; *trichomericola* f 716, 717, 751, 812
Capnodes 803
Capnodina 750, 776; *usterii* 776
Capnodium 702, 722, 726, 731, 747, 803-805; subg *Microxiphium* 789, 790; *anonae* f 725, 807; var *anonae* 725, 807; var *obscureum* 725, 807; *araucariae* 801, 802; *australe* 807; *australis* 802; *axillatum* 748, 748; *betle* 799; *brasiliense* 776, 806, 807; *callitris* 784, 797, 800; *capsuliferum* 776; *carolinense* 804; *casuarinae* 780; *chaetomorphum* 762, 763, 804; *cistophilum* 775; *citricola* 696; *coffeicola* 809; *crassum* 800; *crouanii* 801; *elegans* 730, 744; *elongatum* 805; *footii* 771, 789-791; f *yuccae* 764; *fuligo* 788; *graminum* 777; *ilicinum* 788; *indicum* 780; *javanicum* 784, 794; *juniperi* 707, 776, 777; *lanosum* 788, 789; *mangiferum* 789; *moniliforme* 709, 794; *mucronatum* 793, 795; *nerii* 789; *pini* 699, 801; *resinae* 793, 801; *rhamnocola* 754, 754, 789; *salicinum* 722, 723, f 724, 725, 726, 775, 784, 797, 800; *schweinitzii* 801; *tanakae* 794, 805, 806; *taxi* 790, 791; *trichostomum* 788; *usterii* 776; *walteri* f 697, f 722, f 725, 725, 754, 776, 777, f 796, 797-799
Capnogoniella 730, 746, 748, 751, 752, 808; *polymorpha* 751
Capnogonium 748; *polymorphum* 748, 751, 752, 808
Capnokyma f 706, 707, 773; *corticola* f 705, 707

- Capnophaeum indicum* 780
Capnophialophora f 708, 709, 710, 752, 788
Capnosporium f 708, 710, 752, 812; *moniliforme* 752, 812
Catenuloxophium 726, 746, 747, 752, 755, 799; *europaeum* 753, 754, 789; *fimbriatum* 752, 753; *heterosporum* 753; *rondeletiae* 754, 812; *semiovatum* f 727, f 753, 754, 755, 812
Cavostelium bisporum 1216
Cenococcum graniforme 363-365, 368
Cephalosporium 701, 886, 1974
Ceraceosorus 642, 649; *bombacis* f 648, 649-653, f 650
Ceratomyrium 701, f 719, f 720, 721, 755-761, 783; *globosum* f 719, 760, 761; *griseolum* f 719, 760; *linnaeae* f 719, 761, 811, 812; *paiveae* 755; *peltatum* 760
Ceratiomyxa fruticulosa 144-150, f 146, f 147
Ceratiomyxella tahitiensis 149
Ceratocystis 968; *fagacearum* 992; *paradoxa* 1083-1092
Ceratopycnidia 747
Ceratopycnidium 747
Cercospora 77
Cercosporella 81
Cercosporidium guanicense 1093-1097, f 1095
Cerinomyces 642
Chaetapiospora 619; *islandica* 619
Chaetomium 344, 600-610, 664, 885, 886, 1000; *cellulolyticum* 602-610, f 604; *globosum* 495; *rectopilum* 603, 605, 609; *thermophile* 605, 609; *var coprophile* 605, 1065, 1073; *var dissitum* 605, 1065, 1070, 1073
Chaetophoma 738, 756; *ampullula* 745; *catesbeyi* 756; *trichothecia* 800
Chaetopotius coracinum 799
Chaetoscorias 756, 799, 800; *vulgare* 756, 766
Chaetothyria 731
Chaetothyrium 701, 719, f 720, 721, 731, 733, 738, 739, 755, 758, 762, 783; *straussii* 792; *babingtonii* 721, 769, 790; *capense* 736; *citri* 738; *clavatisporum* 731; *concinnum* f 719, 759, 761; *ekmanii* 811; *fusisporum* 771; *guaraniticum* 701, 719, 757, 758, 770; *linnaeae* 760; *spinigerum* 713
Chanterellus aurantiacus var *albolamelae* 324
Chionosphaera 483-503-510; *apobasidialis* 481-503-510, f 482, f 484, f 486, f 488
Chlamydomucor 136, 137, 138; *casei* 137; *javanicus* 132, 137; *oryzae* 132, 136-138, 382, 383; *racemosus* 136, 137; *rouxianus* 132, 136; *rouxii* 132, 136, 137
Chloridium 489; *minutum* 489
Chlorociboria 260; *versiformis* 307, 325
Chrysosporium 887, 1074; *pannorum* 885, 886
Ciboria 234; *brockesia* 248; *caucus* 234; *sydowiana* 872; *tenuistipes* 260
Ciboriopsis 233-267, 234, 842; *advenula* 235; *bramleyi* 234, 260, 263, 265; *brunii* 265; *carnea* 265; *cecropiae* 248; *lenta* 247; *microspora* 265; *musae* 256; *phlebophora* 248; *simulata* 248; 254; *tenuistipes* 260; *uleana* 247
Cicinnobella 745
Cienkowskia 835, 840
Ciferrioxophium f 734, 738, 747, 762, 763, 767, 781, 782; *chaetomorphum* 735, 737, 762-764, 769, 781, 804, 812; *giganteum* 762, 763, 800
Cintractia arctica 1243, 1244
Cladosporium 81, 344, f 484, f 487, 490, 491, 492, 498, 695, 742; *carriionii* 128; *elatum* 887; *fulvum* 77; *herbarum* 489, 496, 774, 887; *mansonii* 686; *trichoides* 128
Clasterosporium 798
Clasteroderma 1216, 1217
Clathrus preussii 1076
Claudopus nidulans 380, 384, 385
Clavaria pistillaris 381
Clavariadelphus 309; *unicolor* 309
Claviceps 1000; *microcephala* 998; *passali* 381; *purpurea* 998
Clavicornia pyxidata 490
Clavulicium 671
Clavulina 671
Clintamra 1239-1244, 1245; *noliniae* f 1240, f 1242, 1244
Clitocybe illudens 380, 385; *morgani* 317, 321
Clostridium botulinum 962
Coccidioides 58; *immitis* 58
Coccosporium 719; *aucupariae* f 716, 717
Cokeromyces recurvatus 920
Coleroa chaetomium 771
Colletotrichum 378, 885, 887; *truncatum* 1004
Collybia albiflava 380; *dryophila* 380, 385; *radicata* 380; *velutipes* 380, 384
Colus fusiformis 1235, 1236; *javanicus* 1236, 1237; *rothae* 1236; *schellenbergiae* 1236, 1237
Conidiobolus 2, 58, 181-183; subg *Delacroixia* 2; *brefeldianus* 182, 940, 941; *chlamydosporus* 382; *coronata* 555; *coronatus* 58, 60, 181, 939, 1051; *heterosporus* 382; *incongruus* 182; *nanodes* 382, 385; *paulus* 382-385; *stromoidea* 382; *thromboides* 939-942, f 940; *utriculosis* 941; *villosus* 941
Conidiocarpus 725, f 725, 726, f 727,

- 731, 740, 746, 764, 766, 767, 782, 788, 791-793, 800, 801, 807, 809; caucasicus 765; penzigi 765
- Conidioxyphium* 764-767; caucasicus 764; costaricensis 766, 767; gardeniorum 766
- Coniophora* 974, 975; papillosa 974; puteana 381
- Coniophorella* 974; olivacea 974
- Conocybe* 1248, 1267, smithii 1268, 1269
- Coprinus* 380, 385, 390, 394, 400, 418; congregatus 418-422; hiascens 78; lagopus 394; macrorrhizus f microsporus 496; micaceus 78; semilanus 380
- Corallochytrium scherffellii* 1247
- Cordyceps* 1000
- Coreomycetopsis* 541; oedipus 541, 548, 551-558, f 552, f 554, f 556
- Coriolus zonatus* 207
- Corneromyces* 970; kinabalui 970-975, f 971, f 972, f 973**
- Corticium bicolor* 363-365, 368; incrustans 647
- Cortinarius aureifolius* var hesperius 362; cinnamomeus 669; zakii 362
- Craterellus* 304, 311, 312, 324; subg *Pseudocraterellus* 307, 325; caespitosus 307, 325; cantharellus 313, 324; var intermedius 312; cibarius var intermedius 324; var multiramis 308; var plicatellus 308; clavatus carneus 324; cornucopioides 312, 939; var caespitosus 325; corrugis 308, 309; deformatus 324; dubius 311; fallax 325; peckii 325; subundulatus 323
- Craterium* 840
- Crepidotus* 380, 385
- Cribbea* 1102
- Cronartium fusiforme* 1188-1194
- Crucibulum vulgare* 381, 385
- Cryptococcus* 887; albidus 830, 831; **heveanensis** 1201; laurentii 493, 501, 1195-1203; var flavescens 1195-1201; var laurentii 1195-1201; var magnus 1195-1200; **magnus** 1200; neoformans 501, 821-833, 942-946, 965
- Cucurbitaria heterospora* 197
- Culicicula chromaphidis* 20; culicis 3
- Cunninghamella blakesleeana* 106; echinulata 886, 888; elegans 59
- Curvularia* 47, 344, 345, 348
- Cylindrocarpon* 885, 887
- Cylindroxiphium* 737, 740, 767; virginianum 767
- Cystobasidium proliferans* 647
- Dacrymyces* 641; deliquescent 381, 385
- Dactylomyces thermophilus* 1065, 1070
- Daedalea elegans* 208; juniperina 381
- Dasycephalus populicola* 1129-1131, f 1130, 1132; solenaeiformis 1129; soleniiiformis f 1130, 1131
- Debaryomyces* 422, 423; hansenii 422, 477; **melissophilus** 422, 423-425, f 424; tamarii 425
- Deightonella* 1093; **argemonensis** 1093-1095-1097, f 1094; arundinacea 1093; papuana 1093; torulosa 81, 1093
- Delacroixia* 2; coronata 60, 941
- Dendrophoma obscurans* 1170
- Dendryphiella salina* 470
- Dendryphon cephalicum* 699; fumosum 751
- Dennisella* 702, 721, 769, f 769, 770-772, 783-787, 792, 812; babingtonii 769, f 769, f 770, 771, 774, 790, 791; **ekmanii** 811, 812; **fusispora** 771, 812; setosa 769
- Diaporthe phaseolorum* var sojae 1004
- Dicelomyces* 642; bombacis 641 651, 653; gloeosporus 641, 647; scirpi 641
- Dictyophora* 1081; indusiata 1076
- Diderma chondrioderma* 839
- Didymium anomalum* 835; sturgisii 835, 838, 839
- Dimargaris verticillata* 920-924
- Dimerina* 745
- Dimerium* 745
- Dimeromyces* 548
- Dipodascus* 545
- Dothidea* 706, 726, 786
- Drechslera* 47; halodes 405, 406; var tritici 406; rostrata 404; turcica 63-86
- Ductifera argentinensis* 1106; **aurea** f 1105, 1106
- Echinodotium sulcatum* 1153; taxodii 1153, f 1155, 1156, f 1157, f 1158, 1159
- Echinostelium* 1204-1220, f 1218; **ar-boreum** 1207, f 1208, 1210, 1216, 1217, 1219; **coelocephalum** 1212, f 1214, 1215-1219; cribrarioides 1219; elachiston 1205, 1211, 1212, 1216-1219; fragile 1205, 1210-1212, f 1213, 1219; lunatum 1216, 1219; minutum 1205, 1210-1212, 1219; roseum 1210, 1219
- Elaphomyces* 433
- Embellisia* 47-51; allii 47, 49; chlamydospora 47, 48; **didymospora** 49, f 51; hyacinthi 47
- Empusa culicis* 3, 4; erupta 6, 7; muscae 11, 15, 16; planchoniana 19, 22; scatophagae 11, 18; syrphi 11; weberi 24
- Endogone* 108, 115; microcarpa 108; mosseae 109
- Endophragma australiensis* 186; boewei 186; hyalosperma 186; mirabilis 186; **triseptata** 184, f 184, 186; verruculosa 186

- Endosporella* 541
Entomocosma 541
Entomophthora 1-29, 181-183, 1046;
 aphidis 23; chromaphidis 20, 23, 24;
 conglomerata 5; conica 5; coronata
 60; culicis 2-6, 22; curvispora 5;
 echinospora 1053; erupta 3, 6-8, 11,
 15, 1046; exitialis 382; ferruginea 19,
 23; fresenii 23; kansana 1046, 1047;
 muscae 2-29, f 9, f 11, f 21; papillata
 5; pelliculosa 11, 17; planchoniana
 2, 16, 19, f 21, 22-24; rimosa 3, 5;
 scatophagae 11, 18, 19; syrphi 11,
 17, 18; thaxteriana 23; weberi 2,
 3, 24, 25
Entosticta 745
Entyloma 502
Epichloë bambusae 994, 997; cinerea
 994-1001, f 996, f 998; typhina 994,
 997, 998
Epicoccum nigrum 412-418
Erinellina longispora 381
Erionema 835, 840
Erysiphe graminis 1040
Escherichia coli 53, 390, 394, 395, 396,
 399, 1251
Euantennaria f 695, 703, 705, f 706, 740,
 773, 783, 793, 794, 795; arctica 740,
 741; caulicola f 705; mucronata
 f 695, 699, 705, 773, 795; pacifica
 705, 773; rhododendri 772; tropici-
 cola 703
Exaridium 619; hysteriiforme 619
Exidia 941; nucleata 1034; **panamensis**
 f 1104, 1105
Exobasidiellum 642
Exobasidium 499, 642
Exserohilum 402-411; halodes 402-404-
 411, f 408; var elaeicola 404; holmii
 409; prolatum 409; rostratum 402-
 411, f 408
Favolus 206, 209; brasiliensis 201, f 205,
 206, 207; brunneolus f 202, 207;
 striatulus 207; tessellatus 201
Filobasidiella 501; **bacillispora** f 943,
 f 944, 945; neoformans 821-833,
 f 823, f 824, f 825, f 826, f 827,
 f 828, f 829, 942
Filobasidium 498, 502; capsuligenum
 830, 831; floriforme 497, 501, 821,
 830, 831
Flammula carbonaria 77
Fomes annosus 381, 385; everhartii 381;
 marmoratus 208
Fuligo 839
Fumago 773; subg Polychaeton 802;
 citri 774, 792, 802-805; fagi 774,
 790, 790, 802, 803; ilicis 774, 802,
 804; mali 774; quercina 802-805;
 quercinum 774; typhae 774, 802,
 804; vagans 695, 773, 774
Fumagospora 723, f 724, 726, 746, 747,
 775; capnodioides 775; cistophila
 775; gaultheriae 775
Fusarium 344, 345, 348, 494, 885, 887,
 1002, 1003, 1115; culmorum 887,
 888; graminearum 327; lateritium
 1108-1111; moniliforme 151-158,
 344; var minus 152, 154; orthoceras
 1002; oxysporum 887, 888, 1002-
 1010; poae 887, 888; roseum 327,
 328, 338, 1002, 1005-1010; solani
 95, 1002-1010; tracheiphilum 1002;
 tricinatum 1005-1010
Gaeumannomyces graminis var *graminis*
 594, 596
Galerina autumnalis 1248-1253, f 1249;
 marginata 1249, 1252
Galzinia 642, 653; pedicellata 647
Ganoderma applanatum 77
Gasterella 877-879; lutophila 878
Gasterellopsis 879
Gelasinospora 43, 390, 394, 399; austro-
 steira 394; calospora 43, 991; retic-
 ulospora 43
Genea 434
Geniculosporium 690; serpens 688
Geotrichum candidum 1193
Gerronema subg *Gerronema* 320; sect
Gerronema 320
Gibberella baccata 1108-1111; fujikuroi
 151, 152; zeae 327-340
Gigaspora coralloidea 930-934; hetero-
 gama 930-934
Gloeophyllum striatum 208
Gleotromera 381, 384
Glomerella 615
Glomus fasciculatus 296, 297, f 298,
 f 299; f 300, f 301, 925-929; macro-
 carpus 433-436, f 435; mosseae 108-
 116, 297, 302, 925, 930-934
Gomphus 432; subg *Gomphorellus* 432
 subg **Phaeoclavulinoides** 432; **afri-**
canus 429-432, f 431; canadensis
 307; clavatus 307; floccosus 324;
 grandis 432; guadelupensis 432;
 kauffmannii 307
Gonatobotrys simplex 497
Gonatobotryum fuscum 497
Gonatorrhodiella highlei 497
Graphium 748
Grifola frondosa 1120
Gymnomyces alveolatus f 1102
Gymnopilus depressus 208; hispidellus
 207
Halbaniella 811; linnaeae 811
Helminthosphaeria clavariarum 42
Helminthosporium 47, 344, 420; allii
 47; halodes 405; var elaeicola 405;
 var tritici 405; lumbricoideum 772;
 oryzae 81; rostratum 404; turci-
 cum 64

- Helotium* 233; *advenulum* 235; *cecropiae* 248, 251; *conocarpi* 239, 242; *lentum* 247; 251; *naviculasporum* 381; *phlebophorum* 248, 251, 254, 255; *rubroflavum* 871; *simulatum* 248
Hendersoniella 797, 798
Henningsomyces affine 729
Heptaster 810
Hexagona subcaperata 207
Hiospira 748
Hirneola 941
Histoplasma capsulatum 105
Hoehnelomyces 500, 501; *delectans* 500
Hormiokrypsis f 708, 710
Hormisciella atra 773
Hormisciomyces 705, f 706, 707, 772, 773
Hormiscium 787; *handेलii* 788
Hormodendrum 494; *cladosporioides* 495; *hordei* 496
Humicola brevis 934, 937; *grisea* 934, 937; var *thermoidea* 934, 937, 1074; *insolens* 1074; *lanuginosa* 678, 934, 937, 1065, 1070, 1073; *stellata* 1065, 1073
Hyalospora polypodii 1037-1041, f 1038
Hyaloria 500
Hydnopolyporus palmatus f 204, 207
Hydnum caput-ursi 381, 384; *erinaceum* 381, 385; *repandum* 667, 671; *umbilicatum* 666-672, f 668, 670
Hygrophoropsis aurantiacus 324
Hygrophorus 316; sect *Hygrocybe* 315
Hymenochaete damaecornis 208
Hymenogaster f 435, 879; *parskii* 434, 435
Hymenoscypha advenula 235
Hymenoscyphus simulatus 248
Hyperhiza tuberosa 676
Hyponectria 618; *buxi* 618; *cookeana* 618
Hypophyllum muscarium 466
Hypoxylon serpens var *macropora* 690; var *serpens* 688-691
Irpex lacteus 211; *mollis* 381, 385
Jaapia 974
Karlingia rosea 1245-1248
Kernkampella 647, 653
Kordyana 642
Laboulbeniopsis 541; *termitarius* 541-550, f 542, f 544, f 546, f 547, f 549, 551, 555, 557
Labyrinthula 477, 594
Laccaria laccata 211-214, f 212, 380, 384
Lachnella crucifera 381, 385; *populicola* 1129-1132, 1131; *populina* 1131
Lactarius corrugis 380, 384
Lactocollybia aequatorialis f 203, 207
Lambertella 256; *berberidis* 842, f 843, f 844, f 845, 846, 847; *buchwaldii* 847; *makilingsensis* 872; *microspora* 255; *nipponica* 851; *pachysandra* 851; *pruni* 846, 847; *tewarii* 851; *thindii* f 847, 847, f 848, f 849; *vi-burni* 851
Lamia culicis 3
Lanzia 233, 842; *glandicola* 855; *thindii* f 851, f 852, 852, 855; *viburni* f 855, f 856, 856, 858
Laterotheca 776; *stevensonii* 776
Lentinus 206, 207; *cochleatus* 380, 383, 385; *crinitus* f 204, 207, 209; *glabratus* 207; *velutinus* f 205, 207
Leocarpus 835, 840
Lepiota 1248; *americana* 380; *morgani* 380; *naucina* 380
Leptocapnodium 776, 799, 807; *brasiliense* 776, 777; *brasiliensis* 806; *juniperi* 777; *krameri* 777; *walteri* 777
Leptoderma iridescens 839
Leptomitris 87
Leptospermum scoparium 797
Leptosphaeria 611
Leptosphaerulina 611
Leptoxypium 698, f 698, 742, 747, 748, 749, 764, 777, f 777, f 778, 779-782, 786-793, 806, 808; *axillatum* 748, 780, 812; *bahiense* 780, 807; *casuarine* 780; *graminum* 777; *indicum* 780, 801; *ophidioglossum* 787, 812; *spongiosum* 781; *unedonis* 743, 781; *xylophilum* 781
Leucoscypha 1020
Licea 370, 1205, 1206, 1212; *alexopouli* 370-376, f 372, f 374; *biforis* 370
Lichtheimia cornealis 60; *corymbifera* 60; *italiana* 60; *italica* 60; *ramosa* 60
Limacinia 702, 776, 782, 799, 800, 811; subg *Limacinula* 784; *alaskensis* 706, 772; var *alaskensis* 794; *calitris* 800; *capsulifera* 750; *concinna* 719, 742, 749, 750; *crassa* 800; *fernandeziana* 696, 782, 783, 793; *fraseriae* 782; *linnaeae* 811; *moniliformis* 794; *nivalis* 783; *resinae* 800; *spinigera* 713, 766; *spongiosa* 794; *spongiosum* 793
Limaciniella 783; *luzonensis* 783; *psidii* 783
Limaciniopsis 783; *rollandiae* 783, 784
Limacinula 760, 761, 771, 783, 784, f 785, f 786, 787, 794; *anomala* 785; *caucasica* 764, 765; *indica* 780; *javanica* 765, 784; *samoensis* f 785, 786
Limnoperdaceae 878
Limnoperdon 874, 875-880; *incarnatum* 875-880, f 876
Linderiella columnata 1076, 1081
Lobaria 195, 197, 199

- Loborhiza metzneri 1247
 Lulworthia 470
 Lycoperdoides album tinctorium 676;
 album tinctorium radice amplissima
 676; arrhizon 676; ferrugineum 676;
 flavescens multiplex 676; nigra 676;
 pulpa 676; tuberosum 676; tubero-
 sum ferrugineum 676; tuberosum
 ferrugineum arrhizon pulpa nigra
 676; tuberosum flavescens 676
 Lycoperdon arrhizon 676; capuliferum
 676; magnum globosum 676
 Macbrideola 1205
 Macowanites chlorinosmus f 1102
 Malbranchea pulchella var sulfurea 1065,
 1070, 1073
 Marasmius 380; androsaceus 669; ore-
 ades 380, 385; scorodonius 380, 384,
 385
 Massospora 1046, 1047
 Megaloxypium 777, 779, 787; ophi-
 dioglossum 787, 787
 Megaster 810, 811
 Melanogaster tuberosum 676
 Melanospora 495; destruens 494; tif-
 fanii 494
 Melanotaenium 1240-1244; endogenum
 1243; lamii 1243; molinae 1244
 Melastiza 1020; chateri 1023
 Meliola 740, 774, 804; ilicis 774; italica
 774; mucronata 795
 Meripilus giganteus 1120
 Merismella 759, 761; concinna 761, 762;
 gracilentia 762
 Merrilliipeltis 619; calami 619
 Merulius lachrymans 77
 Metacapnodium 707, 711, 752, 776, 782,
 794, 799, 800; dennisii 709; fraseriae
 f 695, f 708, 782, 812; juniperi 699,
 707, 710; moniliforme f 695, f 708,
 709, 812; quinqueseptatum 794
 Metasphaeria biseptata 611, 612
 Microcallis amadelpha 762
 Micropolyspora 663; faeni 664, 665
 Microsporon mansonii 686
 Microsporium audouinii 963, 964, 967
 Microxiphium 702, 703, 752, 764, f 769,
 f 770, 774, 786, 789, 792, 804, 805,
 808, 812; aciculiforme 805; casu-
 arinae 780; coffeanum 805; cylin-
 dricum 807; fagi 769, 790, 812;
 footii 766, 789, 790, 791, 803;
 leptospermi 807; pinicola 805; phil-
 ippinensis 766; purpuraefaciens 805;
 secundum 806; spinigerum 766;
 theae 805; unedonis 743; viride 737,
 792
 Microxyphiella 788; fuligo 789; hibisci-
 folia 781, 789; ilicina 788; fuligo 788;
 lanosa 788; mangifera 789; nerii
 789; pernambucensis 789; rhamnii-
 cola 789; trichostoma 788
 Moellerodiscus 233-267, 842; **advenulus**
 235, f 236, 237; **berberidis** 859, 859,
 f 860, 862-864; **brockesia** 233, 234,
 248, 251, 255; **conocarpi** 235, f 238,
 239, f 241; **guttulatus** 235, 242,
 f 243, f 244, 863; **indicus** 862, 863;
lentus 235, 245, f 246, f 247, 255,
 256, 260, 266; **musae** 235, 256,
 f 256, f 257, 260; **phlebophorum**
 255; **tenuistipes** 235, 260, f 261,
 f 262, f 264, 862
 Mollisia 381, 385; caesia 381; cinerea 381
 Monilia geophila 885, 887; piceae 772
 Monographella 619; divergens 619
 Morchella crassipes 282
 Morfea 792, 794, 802; alaskensis var
 crassisporea 741, 794; citri 792, 793;
 fernandeziana 782; hesperidi 765,
 792, 793; mucronata 795; rivieriana
 793; spongiosa 794
 Mortierella 885-888; alpina 920-924;
 isabellina 886; nana 886; raman-
 niana 886; var angulisporea 920-924;
 vinacea 886
 Mucor 58, 136-138, 348, 664, 885;
 ambiguus 885, 886; amylomyces
 rouxii 136; cornealis 60; corymbifer
 60; hiemalis 59, 885, 886; lichtheimi
 60; miehei 60, 194-194, 934-938,
 1065, 1070, 1073, 1074, 1145-1151,
 f 1147, f 1150; mucedo 1151; pusillus
 58, 60, 190-194, 934-938, 1064,
 1065, 1070, 1073, 1074; racemosus
 136, 137; ramosissimus 58; rouxi-
 anus 137; silvaticus 885, 886
 Muribasidiopora 647
 Mutinus bambusinus 1076; elegans 381;
 ravenelii 1079
 Mycena citricolor 495; pura 380
 Mycolevis 1097-1103; siccigleba 1097-
 1103, f 1101
 Mycosphaerella 175-177; **albizziae** 175,
 f 176; killiani 175
 Myiophyton cohnii 11, 15, 16; culicis 3;
 muscae 11, 16; planchoniamum 19
 Myriococcum albomyces 1065, 1070,
 1073
 Myrothecium 885, 887
 Naematelia 496; encephala 496
 Napicladium fumago 773
 Nectria 195, 1113; subg Lasionectria 199;
 diplocarpa 195-197, 200; haema-
 tococca f sp cucurbitae 328; hetero-
 spora 195-200, f 198; lecanodes 195,
 196, 199; rubefaciens 196
 Neocapnodium 776, 777, 794, 795, 807;
 tanakae 725, 794, 805
 Neoclitocybe bisissida 201
 Neocosmopora 1181-1187; africana
 1113, 1114, 1115, 1181-1187, f 1183,
 f 1184; ornamentata 1113, 1114;
 parva 1111-1116, f 1114; vasinfecta

- 1113, 1114, 1115, 1181-1187, f 1183, f 1184; f conidiifera 1113; var major 1113; var nivea 1113; var sesame 1113; var tracheiphila 1113
- Neurospora* 355, 358, 359, 388-401, 426, 984; africana 388; crassa 354, 388-396, 991, 1171; dodgei 42, 388; intermedia 388, 389, 392-396, 400; lineolata 388; sitophila 388-400; terricola 42, 991; tetrasperma 388, 400, 991
- Nigrospora* 81, 344, 345
- Nomuraea rileyi* 436-439
- Octospora gigantea* 1020, 1021, 1023
- Oidiendron* 885; flavum 887; griseum 887, 888; tenuissimum 887; truncatum 887
- Ombrophila sydowiana* 872
- Omphalia* 380, 385
- Ophiocapnocomma* 710, 711, 800; batistae f 695, f 707, f 708, 710; phloiophila f 708, 710
- Orphanomyces arcticus* 1243
- Oxydothis* 619; calami 619; grisea 619; sabalensis 619
- Paecilomyces* 1074
- Panaeolus* 1267; campanulatus 1269, 1270; castaneifolius 1269, 1270; foenesecii 1269, 1270; sphinctrinus 1269, 1270; subbalteatus 380, 385, 1268-1270; venenosus 380
- Panus rudis* 207, 209
- Papularia arundinis* 617; vinosa 617
- Papulaspora thermophila* 168-174, 678-681, 937
- Paracapnodium brasiliense* 776
- Parmelia* 195; rudecta 196-199; tiliacea 196
- Paropodia* 712, 712, 795, 809; intermedia 795, 809; var setosa 795
- Pellicularia* 211
- Peltigera* 196
- Penicillium* 344, 345, 348, 350, 885; chrysogenum 159; dupontii 678; expansum 159; frequentans 887; funiculosum 344-348; kapuscinskii 887; lanosum 887; lilacinum 416, 417; montanense 887; oxalicum 495; pinetorum 887; raistrickii 887, 888; rolsfii 887; spinulosum 885-888
- Peniophora tamaricola* 647
- Pentapospodium* 810
- Perichaena* 1207
- Periconia* 891, 900
- Peronospora tabacina* 230
- Peziza domiciliana* 941; firma 870, 871; simulans 248; simulata 248
- Phaeocapnias* 703, 795; mucronata 795
- Phaeochaetia* 712, 731, 733, 795; capensis 735, 736; clavatispora 731, 796; spinigera 713, 796
- Phaeoclavulina* 432
- Phaeodimeriella* 745
- Phaeosaccardinula* 701, f 719, f 720, 721, 758, 761, 787; caucasica 765; diospyricola 761
- Phaeoxyphiella* 723, f 724, 726, 746, 747, f 796, 797, 798; bahiensis 797; californica 754, 797, 799; callitris 797; coracina 799; fisheri 797; morototoni 796, 797; rondeletiae 754, 754, 797, 799; walteri 797
- Phallus aurantiacus* 1076-1082, f 1078; indusiatus 1076; rubicundus 1076, 1081
- Phialea* 233; advenula 235; cecropiae 248; microspora 255, 265; simulata 248; uleana 247, 254
- Phialocephala canadensis* 188; fluminis 186, f 186, 188
- Phialophora* 687, 887; dermatitidis 99-107, 117-130, f 120, f 122, f 125, f 127; gougerotii 128; jeanselmei 128; pedrosoi 128; verrucosa 128
- Philonectria insignis* var macrospora 784
- Phleogenia faginea* 500
- Phlyctochytrium* 470-480, f 474, 1233; irregulare 478; lackeyi 1233, f 1234; mangrovii 470
- Pholiota bicolor* f 203, 207; marginata 211; squarrosa 77
- Phoma* 885, 887
- Phomatospira fragariae* 618
- Phomopsis* 1132; destructum 1133, f 1134
- Phragmocapnias* 702, f 722, 725, f 725, 726, 731, 739, 740, 756, 766, 767, 784, 799, 809; betle 765, 799, 800; callitris 784, 800; crassa 800; juniperina 800; smilacina 800
- Phragmoxylum* 762, 763, 800; australience 749, 762, 763, 800; chaetomorphum 762, 763, 800; didymopanax 763, 800
- Phycomyces* 355, 358, 359, 360; blakesleanus 354
- Phyllostica antirrhini* 1121-1125, f 1122, f 1123, f 1124, 1174-1180
- Phymatotrichum omnivorum* 1011-1019
- Physalospora* 614, 615, 617; adeana 618; alpestris 617; fragariae 618; obtusa 923; saviczii 618; vaccinii 618
- Physarella* 835, 839, 840; oblonga 838
- Physarum* 840; polyccephalum 375, 839
- Physcia aipolia* 195, 197, 200; tri-bacioides 195, 196, 197, 200
- Physospora* 618; fragariae 618
- Phytomonas tabaci* 230
- Phytophthora* 354-360, 440, 442, 1162-1173; cactorum 440-446; capsici 1163-1173; cinnamomi 517, 521, 1163-1173; fragariae 511-522, f 515; infestans 77, 445; megasperma var soiae 1163-1173; palmivora 1162-

- 1173; parasitica var nicotianae 354-361
Pichia 423; angophorae 684; melissophila 423; ohmeri 684; rhodanensis 684; spartinae 682-685, f 683; terricola 684; veronae 684; wickerhamii 684
Pilobolus 1254-1258; crystallinus 1257; kleinii 1254, 1257
Piptocephalis virginiana 924
Pisocarpium arenarium 676; clavatum 676
Pisolithus arenarius 676; crassipes 676; tinctorius 363, 364, 368, 672-678, f 673, f 675; tuberosum 676
Pistillaria 483, 490, 502, 877; setipes 490
Pistillina 483, 502; thaxteri 483
Plagiolagynion 619; sabalensis 619
Plagiothecium 619; sabalensis 619
Platycarpa polypodi 647
Plectania coccinea 382, 383, 385; occidentalis 382, 385
Pleosphaeria citri 738, 756, 789, 793
Pleospora 710, 711; herbarum 328, 1171
Pleurae appendiculata 42; fimiseda 42; minor 42; minuta 43; piriformis 42
Pleurotus 206, 207, 208; atrocaeruleus var griseus 380; concavus 207; sapidus 286-295, 380; septicus 380, 383-385
Plorkamidomyces 705, f 706, 773
Pocheina rosea 1215
Poculum 233, 842; **firmum** 870; **juglandis** 867; **mahoniae** f 863, f 864, 864, 866; **nucicola** f 867, 867, f 868, 870; **ruborum** 870; **rubroflavum** 871; **sepiaceum** 871, 872; **sydowianum** 872
Podospora anserina 274, 991; arizonensis 42, 991
Podosporium grande 773; himalayense 773
Podoxyphium 764, 765, 800, 801; ampullaceum 766; azevedoi 766; citricola 766; indicum 781, 801; sanchesia 766; trichothecium 800; yuccae 765, 802; var polymorphum 766; var yuccae 766
Polychaetella 775, 801, 802; araucariae 801, 802; crouanii 801; elongata 801; pini 801; schweinitzii 801
Polychaeton 723, 725, f 725, 726, 746, 755, 765, 774, 780, 781, 791-794, 801, 802, f 803, 804-810; araucariae 801; avellanum 805; axillatum 748; carolinense 804; chaetomorphum 762; citri 804; elongatum 805; footii 789; fuligo 788; ilicinum 788; juniperi 707; lanosum 788; magniferum 789; nerii 789; pini 801; quercinum 802; rhamnocola 754; salicinum 722; schweinitzii 801
Polypera crassipes 676
Polyporus 206, 207, 355, 358, 359, 1116; aquosus 206, 207; badius 1119, 1120; berkeleyi 1120; calceolus 1119, 1120; **coronadensis** 1117, f 1117, f 1118; delectans 381, 383, 385; elegans 1119; frondosus 1120; giganteus 1120; picipes 1119; schweinitzii 381; squamosus 77, 78, 1117, 1119; stipitarius 201; tricholoma f 202, 207, 209; varius 1119, 1120; versicolor 355
Polysaccum acaule 676; album 676; arenarium 676; australe 676; boudieri 676; crassipes 676; var clavatum 676; var minor 676; confusum 676; conglomeratum 676; lephothecum 676; marmortum 676; olivaceum 676; microcarpum 676; pisocarpium 676; var rafinesquii 676; subarrhizum 676; tinctorium 676; tuberosum 676; turgidum 676
Polystigma 615
Poria ambigua 647; cocos 230; latemarginata 647
Poronia 1000
Proliferobasidium 642, **643**, 651, 652, 653; **heliconiae** 643-647, f 644, f 646
Protogaster 877-879
Protomyces endogenum 1243
Protophysarum 835, 840, 1216
Psalliotia arvensis var *hortensis* 912; bispora 912; brunnescens 911; hortensis 912; f bispora 912
Psathyrella disseminata 380
Pseudapiospora 618; corni 619
Pseudocolus 1235-1239; fusiformis 1235-1239, f 1237; javanicus 1235-1237; rothae 1236, 1237; rugulosa 1236, 1237; schellenbergiae 1236, 1237
Pseudocraterellus 311, 312, 324; calyculus 311; subundulatus 312, 323
Pseudocypheilaria clathrata 195, 197, 199
Pseudomassaria 614, 618; carolinensis 617; chondrospora 618; corni, 618, 618; islandica 619; sepincolaeformis 618
Pseudophysalospora 618; adeana 618
Pseudoscorias concinna 749, 750
Pseudosphaeria 611; biseptata 612
Pseudostemphylium chlamydosporum 47
Psilocybe 208, 1261, 1272; aeruginomaculans 1265; angustispora 1268; baecystis 1269, 1270; caeruleus 1265; cubensis 380, 383, 385; cyanescens 1266-1270; pelliculosa 1268-1270; plutonia 208; pugetensis 1266; semilanceata 1268-1270; var caeruleus 1268; var microspora 1268; silvatica 1269; strictipes 1269, 1270; **stuntzii** 1261-1267, f 1262, f 1263, 1268-1270; subaeruginascens 1264; venenata 1264; yungensis 1265
Pteroniconium 617

- Puccinia hordei* 1041
Pycnoporus sanguineus 208
Pyricularia oryzae 81, 82
Pythiopsis cymosa 534, 538
Pythium 354, 359, 360, 440, 442, 443, 445; *aphanidermatum* 105; *marinum* 470; *ultimum* 440, 444
Ramaria 431, 432; *zipellii* 432
Ramularia ser *Echinospora* 431; ser *Verrucispora* 431
Repetobasidium 647
Rhabdostroma 619; *rottboelliae* 619
Rhinocladella 686; *atrovirens* 686; *elattior* 687; *mansonii* 686
Rhinosporidium 58; *seebieri* 58
Rhizoctonia 885, 886; *solani* 1033
Rhizophydium coralloidium 1245–1248, f 1246
Rhizopus 58, 131, 134, 138, 348, 1069; *arrhizus* 58, 59, 105, 106; *chinensis* 60; *chlamydosporus* 132, 137–142; *cohnii* 60; *delemar* 138; *elegans* 885–888; *japonicus* 137; *microsporus* 58, 59, 137; *nigricans* 59, 886; *oryzae* 58, 59, 134, 136, 138, 140–142, 426–428; *rhizopodiformis* 58, 60, 427; *stolonifer* 59; *tienchiulienensis* 382, 385; *tonkinensis* 137
Rhodosporeidium diobovatum 1201; *sphaerocarpum* 1201; *toruloides* 1201
Rhodotorula glutinis 1201
Rhynchosporina meinersii 614
Rogersia 946; *annelidica* 946–949, f 947, f 948, 950
Rutstroemia 233, 842; *aurea* 858; *firma* 870; *glandicola* 854, 855, 855; *indica* 862, 864; *juglandis* 866, 867; *sepiacea* 871, 872; *sydowiana* 871
Saccharomonospora 663; *viridis* 664
Saccharomyces 422; *cerevisiae* 127, 426, 477, 493, 908; *fragilis* 355, 358, 359; *pastorianus* 355, 358
Saccharomycopsis lipolytica 684
Sacothecium biseptata 612
Sadasivania bhustha 891–901, f 894, f 896; *girisa* 899; *phoenicium* 899
Saksenaea vasiformis 52–62, f 54
Saprolegnia australis 1258–1260, f 1259; *ferax* 523–540; *megasperma* 534, 535, 538; *minor* 6; *parasitica* 537
Scherffeliomyces 1247
Scherffeliomyces coleochaetis 1247
Schizophyllum 268–276, 355, 358, 359, 418; *commune* 211, 268–285, 355, 495
Scirrhia 619; *curvispora* 619
Scleroderma tinctorium 676; *umbrinum* 676
Scolecocyphium 725, f 725, 726, 740, 746, 767, 780, 792, 806, 807, 809; *americanum* 806; *cirrhosum* 806; *formosum* 806; *fraseri* 749, 806
Scorias 702, 726, 731, 776, 777, 795, 806, 807; *brasilensis* 776; *commune* 725; *communis* f 725, 766, 807; *cylindrica* 725, f 725, 807; *paulensis* 807; *philippinensis* 766, 807; *spongiosa* 725, f 725, 726, 781, f 803, 805, 807
Scytalidium uredinicola 1188, 1189–1194, f 1190, f 1191, f 1192
Secotium 381, 385
Septobasidium 647; *apiculatum* 941
Septonema longisporum 751; *parasiticum* 751; *perseae* 751; *secedens* 751; *smilacinum* 751; *torulodeum* 743, 751; *trichomerica* 751
Serpula 974
Setchelliogaster 1097
Setella coracina 799
Setodoichium caseariae 762
Setosphaeria 402–411; *holmii* 406, 409; *pedicellata* 409; *prolata* 406–409; *rostrata* 409; *turcica* 402, 406, 408
Simblum sphaerocephalum 381, 385
Smittium f 564, 559–572, 573–582; *culicis* f 561, 562, 564, f 565, 566, f 567, 570, 571, 574, f 576, f 577, 578; *culisetae* 106, f 561, 562, 564, 565, 566, f 567, 568, 570, 571, 574–582; *mucronatum* 562, 564, 565, 566, f 567, 570, 571, 574, f 577, 578; *simulii* f 561, 562, 574, 578
Sordaria *brefeldii* 41, 991; *brevicollis* 451, 991; *destruens* 494; *fimicola* 30, 40, 42, 991; *humana* 30–46, f 32, f 35, f 36; *macrospora* 41, 43; *uvicola* 41
Sparassis crispa 492, 623, f 633, f 635, f 637; *var laminosa* 623; *foliacea* 623; *herbstii* 623; *kazachstanica* 623; *laminosa* 623; *radicata* 622–639, f 626, f 628, f 630, f 637; *simplex* 623; *spatulata* 623; *tremeloides* 623
Sphaerella cookeana 618
Sphaerobolus stellatus 381
Sphaeronaemella fimicola 497
Sphaeronema 804, 805
Sphaerotheca fuliginea 77
Sphaerulina pedicellata 583
Sporendonema muscae 17
Sporhelminthium walteri 798
Sporidiobolus 498
Sporoschima 783; *stilboideum* 783
Sporothrix schenckii, 968
Sporotrichum 1074; *gougerotii* 686; *thermophile* 1074
Stalagmochaeta 730, 746, 808; *basilisca* 808
Staphylococcus aureus 53
Stemphylium 47, 1095; *botryosum* 77
Stephanoma phaeospora 497

- Stereum australe* 208; *guadelupense* 432; *hirsutum* 381, 383; *sanguinolentum* 497; *sulcatum* 1153; *taxodii* 1153
Sticta ambavillaria 195, 197, 199; *weigeli* 195, 197, 199
Stilbella 483, 500
Stilbum 500
Streptomyces 664; *noursei* 965-967
Strigopodia 793; *piceae* 800; *resinae* 699, 800, 801
Strigula babingtonii 769
Strongwellsea 1046; *castrans* 1042, 1045, f 1047, f 1050, 1051-1058; *magna* 1043, f 1044, 1045, f 1047, f 1048, 1051, f 1051, 1052-1057, 1058
Subulicystidium 647
Suillus anomalus 657, f 657
Syncladium 808; *nietneri* 808
Syzygites megalocarpus 378, 382, 385

Talaromyces emersonii 1069, 1070; *thermophilus* 1065, 1070, 1073
Tarichium 2, 1053; *atrospermum* 1053; *hylemyiae* 1053, 1056
Taphrina 498
Termitaria snyderi 555, 557
Thaxteriella 541
Thelephora subundulata 323; *terrestris* 363, 364, 368
Thermoactinomyces 663, 664; *candidus* 664, 665; *vulgaris* 664, 665
Thermoascus aurantiacus 664, 1065, 1070, 1073, 1074
Thermonospora 664
Thielavia 664, 1065, 1070; *heterothallica* 1065, 1070, 1073; *minor* 1065; *sepedonium* 989, 1065
Thraustochytrium 594; *roseum* 477, 594
Tilletiopsis 498
Tolyposporella 1239, 1240; *nolinae* 1239, 1244
Tomenticola 751; *trematis* 751
Torula 787; *galleti* 772; *heveanensis* 1196, 1200, 1201; *lechleriana* 788; *palmicola* 772; *rhododendri* 699; *soleiroliae* 745; *splendens* 787; *thermophila* 1065, 1070, 1073
Torulaspora 422, 423
Torulopsis capsuligenum 830, 831; *heveanensis* 1201
Tremella 208, 498; *aurantia* 1195-1201; *durissima* 1107; *encephala* 1195-1201; *mesenterica* 493, 494; *sub-rubiginosa* 1106, f 1107
Treubomyces 701, 721, 731, 757-760; *pulcherrima* f 720, 759

Triangularia backusii 984-993, f 986, f 988, f 990; *bambusae* 42
Trichoderma 348; *polysporum* 885, 887; *viride* 344, 887, 888
Trichomerium 739, 756, 799, 800, 809; *coccolobae* 809; *coffeicola* 809; *stuhlmanianum* var *biseptatum* 810
Trichometasphaeria turcica 1170
Trichopeltheca 705, f 706, 773; *asiatica* f 695, 699, f 705, 771
Trichophysalospora 618; *saviczii* 618
Trichothallus 705, f 706, 773
Trichothecium roseum 788
Tripodermium f 712, 713, 714, 731, 741, 761, 788, 795, 809, 810, 811; *coccolobae* 810; *gardneri* 804, 810; *juglandis* 804, 810; *lagerstroemiae* 810; *pannosum* 810; *pes-gallinae* 713, 811; *pinophilum* 714; *stelligerum* 810
Tripodermiaceae 712
Tripodermopsis f 711, f 712, 712, 714, 731, 733, 766, 795, 796, 809, 810; *spinigera* 713, 796
Tripodermium 742
Truncatella ramulosa 382, 383
Tulasnella 1027-1036, f 1028, f 1030, f 1032; *violacea* 1034

Ulocladium 47, 48
Uloesia 701, 755, 760, 783, 811; *linnaeae* 811
Urnula craterium 382
Ustilago 498; *bromivora* 493, 494

Veluticeps berkeleyi f 1157, 1159, 1160; *fusca* 1159
Venenarius muscarius 466
Verticillium 887
Vitalia 769, 772, 809, 811; *averrhoeae* 809, 812; *cecropiae* 792; *ekmanii* 811; *jaboatonensis* 792, 812; *plumeriae* 809, 812; *rickiana* 771
Volvarella volvacea 671

Wentomyces 730, 744; *fuliginosus* 744
Wettsteinina 611
Wolfina 232; *aurantiopsis* 232

Xylaria 208, 382-385, 1000
Xystozukalia 800

Yukonia 619; *caricis* 612, 612, 619

Zelleromyces gilkeyae f 1102
Zoophthora 1046
Zukalia setosa 769, 771

HOST INDEX

The Host Index includes generic names of hosts and those fungi which are definitely indicated in the text as occurring on a host.

- Abies*
Antennatula pinophila f 695, 699
Capnobotrys neesii 699
Sparassis radicata 622
Acer
Badhamiopsis ainoi 837
Fumago vagans 774
Moellerodiscus lentus 250
Rogersia annelidica 950
Achras
Achaetobotrys f 715
Acianthus
Tulasnella 1027
Ackama
Capnokyma corticola 705
Adelphocoris (animal)
Entomophthora erupta 7
Aedes (animal)
Smittium 575; *culicis* 562; *culicetae* 562
Aesulus
Echinostelium fragile 1211
Albizzia
Mycosphaerella albizziae 175
Alnus
Fumago vagans 774
Alternanthera
Alternaria 1126; *alternantherae* 1126
Anopheles (animal)
Entomophthora culicis 4
Anthomyia (animal)
Entomophthora pelliculosa 17
Aphis (animal)
Entomophthora ferruginea 23; *planchoniana* 22
Araucaria
Capnodium araucariae 802
Arbutus
Capnodium walteri 697, f 722
Argemone
Deightonella argemonensis 1095
Argyrea
Leptoxypium 780
Artocarpus
Moellerodiscus lentus 250
Baccharis
Moellerodiscus lentus 250
Berberis
Lambertella berberidis 846
Moellerodiscus berberidis 862
Betula
Moellerodiscus lentus 250
Blechnum
Antennulariella concinna f 715
Bombax
Ceracesorus bombacis 651
Dicellomyces bombacis 640
Bradysia (animal)
Entomophthora planchoniana 22
Bursaria
Capnodium walteri 798
Buxus
Capnobotrys neesii 699
Dennisiella babingtonii f 769
Callicoma
Scolecoxyphium fraseri 806
Camellia
Badhamiopsis ainoi 837
Phytophthora cinnamomi 1163
Capsicum
Phytophthora capsici 1163
Carex
Buergenerula biseptata 613
Metasphaeria biseptata 611
Yukonia caricis 612
Carica
Triposporiopsis f 711
Carpinus
Chionosphaera apobasidialis 485, 504
Castanea
Moellerodiscus tenuistipes 263
Catalpa
Astragoxypium catalpae 748
Leptoxypium f 698; *axillatum* 780
Cecropia
Moellerodiscus lentus 250
Celosia
Fusarium lateritium 1108
Ceratopetalum
Scolecoxyphium fraseri 806
Cercis
Echinostelium coelocephalum 1215
Chamaecyparis
Stereum taxodii 1153
Chamaenerion
Moellerodiscus tenuistipes 263
Chironomus (animal)
Entomophthora culicis 4; *rimosa* 5
Chromaphis (animal)
Entomophthora chromaphidis 23, 24
Cistus
Torula soleirolii 745
Citharexylum
Moellerodiscus lentus 250
Citrus
Ailathoderma 738
Conidiocarpus penzigi 765
Fusarium lateritium 1108
Cladium
Meliola italica 774

- Closterium
 - Ancylistes closterii 902
- Clusia
 - Moellerodiscus musae 259
- Coccoloba
 - Moellerodiscus lentus 250
- Cocos
 - Moellerodiscus lentus 250
- Coffea
 - Aithaloderma f 733
- Cokeromyces
 - Dimargaris verticillata 920
- Conocarpus
 - Moellerodiscus conocarpi 235, 241
- Coprosma
 - Antennatula f 705
 - Euantennaria caulicola f 705
- Corylus
 - Capnobotrys neesii 699
- Cronartium
 - Scytalidium uredinicola 1188, 1189
- Cryptomeria
 - Echinodontium taxodii 1156
 - Stereum taxodii 1153
- Culex (animal)
 - Entomophthora culicis 4
- Culiseta (animal)
 - Smittium culisetæ 562
- Cynodon
 - Leptoxyphium 777
- Cystopteris
 - Hyalopsora polypodii 1037
- Dacrydium
 - Capnobotrys dingleyae 699
- Delia (animal)
 - Entomophthora muscae 12, 19, 20
- Desmodium
 - Fusarium lateritium 1108
- Didymopanax
 - Moellerodiscus lentus 250
- Dioscorea
 - Fusarium lateritium 1108
- Diospyros
 - Badhamiopsis ainoi 837
- Dracophyllum
 - Capnodium walteri f 796
- Drosophila (animal)
 - Entomophthora muscae 12
- Durio
 - Phytophthora palmivora 1164
- Elaeis
 - Ceratocystis paradoxa 1083
- Eragrostis
 - Epichloë cinerea 995
- Erianthus
 - Filobasidium floriforme 831
- Erica
 - Achaetobotrys 744
 - Antennaria 730
- Eucalyptus
 - Moellerodiscus lentus 250
- Eugenia
 - Moellerodiscus lentus 250; musae 259
- Eutermes (animal)
 - Coreomycetopsis oedipus 551
- Euterpe
 - Moellerodiscus lentus 250
- Fagus
 - Fumago fagi 790
 - Leptoxyphium spongiosum 781
 - Scorias spongiosa f 803
- Fannia (animal)
 - Strongwellsea magna 1043, 1057
- Fatsia
 - Triposporiopsis f 711
- Filipendula
 - Moellerodiscus tenuistipes 265
- Ginkgo
 - Pocheina rosea 1215
- Glycine
 - Fusarium tracheiphilum 1002
 - Phytophthora megasperma var so-
jae 1164
- Gossypium
 - Leptoxyphium f 777
- Griselinia
 - Phaeosaccardinula f 719
 - Trichopelthea asiatica f 705
- Guioa
 - Dennisia f 769
- Heliconia
 - Limacinula f 785
 - Proliferobasidium heliconiae 645
- Hemitelia
 - Capnosporium moniliforme 752
- Hibiscus
 - Leptoxyphium f 698, 780
- Hordeum
 - Setosphaeria rostrata 409
- Hygrophila
 - Burrillia kamatii 166
- Hylemya (animal)
 - Entomophthora muscae f 11
 - Strongwellsea castrans 1043, 1056
 - Tarichium hylemyiae 1053
- Inga
 - Limacinula samoensis f 785
- Inia (animal)
 - Aphanomyces 1222
- Irbisia (animal)
 - Entomophthora erupta 7
- Jambosa
 - Scoleoxyphium fraseri 806
- Jasminum
 - Ceramothyrium f 719
 - Chaetothyrium guaranticum 758
 - Moellerodiscus lentus 250

- Juglans*
Poculum juglandis 867; *nucicola* 870
Juniperus
Badhamia ainoa 834
Badhamiopsis ainoi 837
Echinostellium coelocephalum 1214;
fragile 1211
Metacapnodium juniperi 699
Moellerodiscus lentus 250
Karlingia
Rhizophydium coralloidum 1247
Kigelia
Leptoxyphium 699, 780
Larix
Moellerodiscus advenulus 235, 237
Sparassis crispa 638
Leptohylemya (animal)
Strongwellsea castrans 1043
Tarichium hylemyiae 1053
Leptohylemyia (animal)
Entomophthora muscae 12
Leptospermum
Capnodium walteri f 796, 798
Leucopogon
Antennulariella concinna f 715
Linnaea
Ceramothyrium linnaeae f 719
Liquidambar
Echinostellium fragile 1211
Lobaria
Nectria heterospora 195, 197, 199
Lucilia (animal)
Entomophthora muscae 13, 14
Lygocoris (animal)
Entomophthora erupta 7
Lygus (animal)
Entomophthora erupta 6, 7; *muscae* 15
Mahonia
Microxiphium f 769
Poculum mahoniae 866
Melanostoma (animal)
Entomophthora muscae 13, 14;
syrphi 17
Melia
Badhamiopsis ainoi 837
Metopolophium (animal)
Empusa planchoniana 23
Miconia
Moellerodiscus lentus 250
Mortierella
Dimargaris verticillata 920
Morus
Fusarium lateritium 1108
Musa
Moellerodiscus musae 259
Musca (animal)
Entomophthora muscae 12
Mydaea (animal)
Entomophthora pelliculosa 17
Myrsine
Podoxyphium trichothecium 801
Nolina
Clintamra nolinae 1244
Tolyposporella nolinae 1239
Nothofagus
Ophiocapnocomma batistae f 695,
f 707
Olea
Antennaria elaeophila 744
Parmelia
Nectria diplocarpa 195; *lecanodes*
196; *rufefaciens* 196
Peltigera
Nectria lecanodes 196
Pennantia
Euantennaria mucronata f 695
Persea
Phytophthora cinnamomi 1163
Phragmites
Deightonella arundinacea 1093
Phyllocladus
Capnobotrys dingleyae 699
Physcia
Nectria 195; *diplocarpa* 195; *heterospora* 197
Pinus
Cronartium fusiforme 1188, 1189;
Hormiscium handelii 788;
Sparassis crispa 625; *radicata* 622;
Veluticeps berkeleyi 1160
Piper
Phragmocapnias betle 799
Pittosporum
Fumago ilicis 774
Planchonella
Ceramothyrium globosum f 719
Platanus
Rogersia annelidica 950
Platyichirus (animal)
Entomophthora muscae 13
Platypalpus (animal)
Entomophthora culicis 4
Plumeria
Phragmocapnias f 722
Podocarpus
Capnobotrys dingleyae 699
Pollenia (animal)
Entomophthora muscae 13
Polyscias
Leptoxyphium ophidioglossum 787
Populus
Badhamiopsis ainoi 837
Fumago vagans 774
Polychaeton avellanum 805
Polyporus squamosus 1119
Potentilla
Moellerodiscus tenuistipes 263
Psectrocladium (animal)
Smittium mucronatum 562

- Pseudocypbellaria*
Nectria heterospora 195, 197
- Pseudoplusia* (animal)
Nomuraea rileyi 436
- Pseudotsuga*
Sparassis radicata 622
- Pseudowintera*
Metacapnodium moniliforme f 695
Trichopelthea asiatica f 695
- Psidium*
Phomopsis destructivum 1133
- Psocus* (animal)
Entomophthora chromaphidis 24
- Quercus*
Badhamiopsis ainoi 837
Catenuloxypium semiovatum 755
Chionosphaera apobasidialis 481, 504
Cylindroxypium virginianum 767
Lanzia thindii 854
Moellerodiscus indicus 862
Parmelia rudecta 199
Physcia tribacioides 200
Pocheina rosea 1215
Poculum rubroflavum 871; *sydowianum* 872
Polyporus coronadensis 1117, 1119
- Raphidia* (animal)
Entomophthora weberi 24
- Reticulitermes* (animal)
Coreomycetopsis oedipus 541, 551
Dimeromyces 548
Laboulbeniopsis termitarius 541, 551
- Rhamnus*
Antennariella californica 743
Phaeoxyphiella californica 754
- Rhizophora*
Moellerodiscus lentus 250
- Rhodamnia*
Scolecocyphium fraseri 806
- Rhododendron*
Torula rhododendri 699
- Rhopalocystis*
Metacapnodium fraseriae f 695
- Rhopalostylis*
Capnocybe f 695
- Rollandia*
Limaciniopsis rollandiae 783
- Rubus*
Capnobotrys neesii 699
Moellerodiscus tenuistipes 263
- Saccharum*
Deightoniella papuana 1093
- Salix*
Fumago vagans 774
- Sambucus*
Capnobotrys neesii 699
- Sarcophaga* (animal)
Entomophthora muscae 13
- Scatophaga* (animal)
Entomophthora muscae 19, 20; *sca-tophagae* 18
- Simulium* (animal)
Entomophthora culicis 4
Saprolegnia ferax 523
Smittium culicis 562; *simulii* 562
- Sitobion* (animal)
Empusa planchoniana 23
- Sorghum*
Setosphaeria rostrata 409
- Spartina*
Buergenerula spartinae 583
Pichia spartinae 682
- Sporobolus*
Epichloë cinerea 994
- Sticta*
Nectria heterospora 195, 197
- Syrphus* (animal)
Entomophthora muscae 13
- Tabebuia*
Moellerodiscus musae 259
- Taxodium*
Echinodontium taxdii 1156
Stereum taxodii 1153
- Taxus*
Capnobotrys dingleyae 699
Conidiocarpus caucasica 764
- Tectona*
Leptoxypium f 698, 780
- Theobroma*
Phytophthora palmivora 1164
- Thuja*
Euantennaria f 695
Fusarium lateritium 1108
- Tilia*
Catenuloxypium semiovatum f 753, 755
Fumago vagans 774
- Ulmus*
Badhamiopsis ainoi 837
Catenuloxypium semiovatum 755
Echinostelium arboreum 1209; *coelocephalum* 1215; *fragile* 1211
Fumago vagans 774
- Viburnum*
Lambertella thindii 850
Lanzia viburni 858
- Vitis*
Echinostelium coelocephalum 1215
Exserohilum rostratum 404
Pocheina rosea 1215
- Voacanga*
Aithaloderma clavatisporum 733
- Yucca*
Capnodium footii f *yuccae* 764
Podoxypium yuccae var *yuccae* 766
- Zizyphus*
Acrogenotheca elegans 744



